


O-RING SIZE CHART



Matric size and international standars



The abbreviations in the column "Standard" have the following meaning :

- DIN/ISO = DIN 3771/ ISO 3601
- AS = American standard AS 568 A, British standard BS 1806
- P/G/V = Japanese standard JIS B 2401
- S = Japanese standard
- NF = French standard NF T 47-501
- R = French standard

DIMENSION ID. X CS METRIC	NOMINAI DIMENSION U.S.STANDARD	REF NO
0.72 x 1.02	1/32 x 3/32 x 1/32	AS-001
1.07 x 1.27	3/64 x 9/64 x 3/64	AS-002
1.15 x 1		
1.24 x 2.62	1/16 x ¼ x 3/32	AS-102
1.25 x 1		
1.3 x 1.25		
1.4 x 1		
1.42 x 1.52	1/16 x 3/16 x 1/16	AS-003
1.5 x 1		
1.78 x 1.78	5/64 x 13/64 x 1/16	AS-004
1.8 x 1		
1.8 x 1.5		
1.8 x 1.8		DIN/ISO/NF
1.85 x 1.5		

DIMENSION ID. X CS METRIC	NOMINAI DIMENSION U.S.STANDARD	REF NO
2 x 1		
2 x 1.5		
2 x 1.8		DIN/ISO/NF
2.06 x 2.62	3/32 x 9/32 x 3/32	AS-103
2.2 x 1.6		
2.24 x 1.8		DIN/ISO/NF
2.4 x 1.9		R0
2.5 x 1		
2.5 x 1.5		S-3
2.5 x 1.8		DIN/ISO/NF
2.5 x 2		
2.57 x 1.78	3/32 x 7/32 x 1/16	AS-005
2.6 x 1.9		R1
2.75 x 1.6		R1b

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
2.8 x 1.5		
2.8 x 1.6		
2.8 x 1.8		DIN/ISO/NF
2.8 x 1.9		P-3
2.84 x 2.62	1/8 x 5/16 x 3/32	AS-104
2.9 x 1.78	1/8 x 1/4 x 1/16	AS-006
3 x 1		
3 x 1.5		
3 x 1.8		DIN/ISO/NF
3 x 2		
3 x 3		
3.1 x 1.6		
3.15 x 1.8		DIN/ISO/NF
3.17 x 1.78		
3.2 x 1.6		
3.3 x 2.4		
3.4 x 1.9		R2
3.5 x 1		
3.5 x 1.5		S-4
3.5 x 2		
3.5 x 3		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
3.55 x 1.8		DIN/ISO/NF
3.6 x 2.4		
3.63 x 2.62	5/32 x 11/32 x 3/32	AS-105
3.68 x 1.78	5/32 x 9/32 x 1/16	AS-007
3.7 x 1.6		
3.75 x 1.8		DIN/ISO/NF
3.8 x 1.9		P-4
4 x 1		
4 x 1.5		
4 x 1.8		DIN/ISO/NF
4 x 2		
4 x 2.5		
4 x 3		
4 x 4		
4 x 5		
4.1 x 1.6		
4.2 x 1.9		R3
4.3 x 2.4		
4.34 x 3.53	3/16 x 7/16 x 1/8	AS-201
4.42 x 2.62	3/16 x 3/8 x 3/32	AS-106
4.47 x 1.78	3/16 x 5/16 x 1/16	AS-008

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
4.5 x 1		
4.5 x 1.5		S-5
4.5 x 1.8		DIN/ISO/NF
4.5 x 2		
4.5 x 3		
4.6 x 2.4		
4.6 x 2.5		
4.7 x 1.42		AS-901
4.7 x 1.6		DIN/ISO/NF
4.76 x 1.78		
4.8 x 1.9		P-5
4.87 x 1.8		DIN/ISO/NF
4.9 x 1.9		R4
5 x 1		
5 x 1.2		
5 x 1.5		
5 x 1.6		
5 x 1.8		DIN/ISO/NF
5 x 2		
5 x 2.5		
5 x 3		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
5 x 4		
5 x 5		
5.5 x 1		
5.5 x 1.5		S-6
5.5 x 2.5		
5.5 x 3		
5.6 x 1.8		DIN/ISO/NF
5.6 x 2.4		
5.7 x 1.9		R5
5.8 x 1.9		P-6
5.94 x 3.53	1/4 x 1/2 x 1/8	AS-202
6 x 1		
6 x 1.5		
6 x 1.8		DIN/ISO/NF
6 x 2		
6 x 2.2		R6b
6 x 2.5		R3
6 x 3		
6 x 4		
6 x 4.5		
6 x 5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
6 x 6		
6.02 x 2.62	¼ x 1/16 x 3/32	AS-108
6.07 x 1.63		AS-902
6.07 x 1.78	¼ x ⅜ x 1/16	AS-010
6.1 x 1.6		
6.3 x 1.8		DIN/ISO/NF
6.35 x 1.78		R5b
6.4 x 1.9		R5a
6.5 x 1		DIN/ISO/NF
6.5 x 1.5		S-7
6.5 x 2		
6.5 x 2.5		
6.5 x 3		
6.6 x 2.4		
6.7 x 1.8		DIN/ISO/NF
6.75 x 1.78		
6.8 x 1.9		P-7
6.9 x 1.8		DIN/ISO/NF
7 x 2		
7 x 2.5		
7 x 3		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
7 x 4		
5 x 5		
7 x 6		
7.1 x 1.6		
7.1 x 1.8		DIN/ISO/NF
7.2 x 1.9		R6
7.3 x 2.4		
7.5 x 1		
7.5 x 1.5		S-8
7.5 x 1.8		DIN/ISO/NF
7.5 x 2		
7.5 x 2.4		
7.5 x 2.4		
7.5 x 2.5		
7.5 x 3		
7.52 x 3.53	5/16 x 9/16 x 1/8	AS-203
7.59 x 2.62	5/16 x ½ x 3/32	AS-109
7.6 x 2.4		
7.65 x 1.63		AS-903
7.65 x 1.78	5/16 x 7/16 x 1/16	AS-011
7.8 x 1.9		P-8

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
7.94 x 1.78		
8 x 1		
8 x 1.5		
8 x 1.8		DIN/ISO/NF
8 x 1.9		R6a
8 x 2		
8 x 2.5		
8 x 3		
8 x 3.5		
8 x 4		
8 x 4.5		
8 x 5		
8.1 x 1.6		
8.3 x 2.4		
8.35 x 2.7		
8.5 x 1		
8.5 x 1.5		S-9
8.5 x 1.8		DIN/ISO/NF
8.5 x 2		
8.5 x 2.5		
8.5 x 3		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
8.6 x 2.4		
8.73 x 1.78		
8.75 x 1.78		DIN/ISO/NF
8.8 x 9		P-9
8.9 x 1.9		R7
8.9 x 2.7		R8
8.92 x 1.83		AS-904
9 x 1		
9 x 1.5		
9 x 1.8		DIN/ISO/NF
9 x 2		
9 x 2.2		
9 x 2.5		
9 x 3		
9 x 3.5		
9 x 4		
9 x 4.5		
9 x 5		
9 x 6		
9.1 x 1.6		
9.12 x 3.53	3⁄8 x 5⁄8 x 1⁄8	AS-204

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
9.13 x 2.62		
9.19 x 2.62	3/8 x 9/16 x 3/32	AS-110
9.25 x 1.78	3/8 x 1/2 x 1/6	AS-012
9.3 x 2.4		
9.5 x 1		R6a
9.5 x 1.5		S-10
9.5 x 1.8		DIN/ISO/NF
9.5 x 2		
9.5 x 2.5		
9.5 x 3		
9.5 x 4.5		
9.52 x 1.78		R8b
9.6 x 2.4		
9.8 x 1.9		P-10
9.8 x 2.4		P-10A
9.9 x 2.62		
10 x 1		
10 x 1.5		
10 x 1.8		DIN/ISO/NF
10 x 2		
10 x 2.5		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
10 x 3		
10 x 3.5		
10 x 4		
10 x 4.5		
10 x 5		
10 x 6		
10.1 x 1.6		
10.3 x 2.4		
10.46 x 5.33	7/16 x 13/16 x 3/16	AS-309
10.5 x 1		
10.5 x 1.5		
10.5 x 2		
10.5 x 2.4		
10.5 x 2.5		
10.5 x 2.7		R9
10.5 x 3		
10.5 x 4.5		
10.52 x 1.83		AS-905
10.6 x 1.8		DIN/ISO/NF
10.6 x 2.4		
10.69 x 3.53	7/16 x 11/16 x 1/8	AS-205

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
10.7 x 1.5		S-11.2
10.72 x 1.83		
10.77 x 2.62	7/16 x 11/16 x 1/8	AS-111
10.8 x 2.4		P-11
10.82 x 1.78	7/16 x 9/16 x 1/16	R6a
11 x 1		
11 x 1.5		
11 x 1.9		
11 x 2		
11 x 2.4		P-11.2
11 x 2.5		
11 x 3		R8b
11 x 3.5		
11 x 4		
11 x 4.5		
11 x 5		
11 x 6		
11.1 x 1.6		
11.11 x 1.78		
11.2 x 1.8		DIN/ISO/NF
11.3 x 2.4		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
11.5 x 2.4		
11.5 x 2.5		
11.5 x 3		
11.6 x 2.4		
11.7 x 5.8		
11.8 x 1.8		DIN/ISO/NF
11.8 x 2.4		P-12
11.89 x 1.98		AS-906
11.91 x 1.78		
11.91 x 2.62		
12 x 1		
12 x 1.5		S-12.5
12 x 2		
12 x 2.5		
12 x 3		
12 x 3.5		
12 x 4		
12 x 4.5		
12 x 5		
12 x 5.6		
12 x 6		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
12.07 x 5.33	1/2 x 7/8 x 3/16	AS-310
12.1 x 1.6		
12.1 x 2.7		R10
12.29 x 3.53	1/2 x 3/4 x 1/8	AS-206
12.3 x 1.9		
12.3 x 2.4		P-12.5
12.37 x 2.62	1/2 x 11/16 x 3/32	AS-112
12.42 x 1.78	1/2 x 5/8 x 1/16	AS-014
12.5 x 1		
12.5 x 1.5		
12.5 x 1.8		DIN/ISO/NF
12.5 x 2		
12.5 x 2.5		
12.5 x 3		
12.5 x 3.5		
12.6 x 2.4		
12.7 x 2.62		
13 x 1		
13 x 1.5		
13 x 1.9		
13 x 2		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
13 x 2.4		
13 x 2.5		
13 x 3		
13 x 3.5		
13 x 4		
13 x 4.5		
13 x 5		
13 x 6		
13.1 x 1.6		
13.1 x 2.62		
13.2 x 1.8		DIN/ISO/NF
13.3 x 2.4		
13.46 x 2.08		AS-907
13.5 x 1		
13.5 x 1.5		S-14
13.5 x 2		
13.5 x 2.4		
13.6 x 2.7		R11
13.64 x 5.33	9/16 x 3/4 x 3/32	AS-311
13.8 x 1.9		
13.8 x 2.4		P-14

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
13.87 x 3.53	9/16 x 13/16 x 1/8	AS-207
13.94 x 2.62	9/16 x 3/4 x 3/32	AS-113
14 x 1		
14 x 1.5		
14 x 1.78	9/16 x 11/16 x 1/16	AS-015
14 x 1.8		DIN/ISO/NF
14 x 2		
14 x 2.5		
14 x 2.65		DIN/ISO/NF
14 x 3		
14 x 3.5		
14 x 4		
14 x 5		
14 x 6		
14.1 x 1.6		
14.3 x 2.4		
14.5 x 1		
14.5 x 1.5		S-15
14.5 x 2		
14.5 x 2.4		
14.5 x 2.5		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
14.5 x 3		
14.5 x 4		V-15
14.6 x 2.4		
14.8 x 2.4		P-15
15 x 1		
15 x 1.5		
15 x 1.8		DIN/ISO/NF
15 x 2		
15 x 2.5		
15 x 2.65		DIN/ISO/NF
15 x 3		
15 x 3.5		
15 x 4		
15 x 4.5		
15 x 5		
15 x 6		
15.08 x 2.62		
15.1 x 6		
15.1 x 2.7		R12
15.2 x 3.5		
15.24 x 5.33	5/8 x 7/8 x 1/8	AS-312

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
15.3 x 2.4		
15.47 x 3.53	5/8 x 1 x 3/16	AS-312
15.5 x 1		
15.5 x 1.5		S-16
15.5 x 2		
15.5 x 2.4		
15.5 x 2.5		
15.5 x 3		
15.5 x 4.5		
15.54 x 2.62	5/8 x 13/16 x 3/32	AS-114
15.6 x 1.78	5/8 x 3/4 x 1/16	AS-016
15.6 x 2.4		
15.8 x 1.99		
15.8 x 2.4		P-16
15.88 x 2.62		
16 x 1		
16 x 1.25		
16 x 1.5		
16 x 1.8		DIN/ISO/NF
16 x 1.9		
16 x 2		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
16 x 2.5		
16 x 2.65		DIN/ISO/NF
16 x 3		
16 x 3.5		
16 x 4		
16 x 4.5		
16 x 5		
16 x 6		
16.1 x 1.6		
16.3 x 2.4		DIN/ISO/NF
16.36 x 2.21		AS-908
16.5 x 1		
16.5 x 1.5		
16.5 x 2.5		
16.5 x 3		
16.6 x 2.4		
16.8 x 1.9		
16.8 x 2.4		
16.81 x 5.33	11/16 x 1" 1/16 x 3/16	AS-313
16.9 x 2.7		R3
17 x 1		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
17 x 1.5		
17 x 1.8		DIN/ISO/NF
17 x 2		
17 x 2.5		
17 x 2.65		DIN/ISO/NF
17 x 3		
17 x 3.5		
17 x 4		
17 x 4.5		
17 x 5		
17 x 6		
17.04 x 3.53	1/16 x 15/16 x 1/8	AS-209
17.1 x 1.6		
17.12 x 2.62	11/16 x 7/8 x 3/32	AS-115
17.17 x 1.78	11/16 x 13/16 x 1/16	AS-017
17.3 x 2.4		
17.46 x 2.62		
17.5 x 1		
17.5 x 1.5		S-18
17.5 x 2		
17.5 x 2.4		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
17.5 x 2.5		
17.5 x 3		
17.5 x 2.4		
17.5 x 2.5		
17.5 x 3		
17.6 x 2.4		
17.8 x 1.9		
17.8 x 2.4		P-18
17.86 x 2.62		
17.93 x 2.46		AS-909
18 x 1		
18 x 1.5		
18 x 2		
18 x 2.5		
18 x 2.65		DIN/ISO/NF
18 x 3		
18 x 3.5		
18 x 3.55		DIN/ISO/NF
18 x 4		
18 x 4.5		
18 x 5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
18 x 6		
18.1 x 1.6		
18.2 x 3		
18.3 x 2.4		
18.3 x 3.6		R15
18.4 x 2.7		R14
18.42 x 5.33	¾ x 1"1/8 x 3/16	AS-314
18.5 x 1		
18.5 x 1.5		
18.5 x 2		
18.5 x 2.5		
18.5 x 3		
18.6 x 2.4		
18.64 x 3.53	¾ x 1 x 1/8	AS-210
18.72 x 2.62	¾ x 15/16 x 3/32	AS-116
18.77 x 1.78	¾ x 7/8 x 1/16	AS-018
18.8 x 1.9		
18.8 x 2.4		
19 x 1		
19 x 1.5		
19 x 2		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
19 x 2.5		
19 x 2.65		DIN/ISO/NF
19 x 3		
19 x 3.5		
19 x 3.55		DIN/ISO/NF
19 x 4		
19 x 4.5		
19 x 5		
19 x 6		
19.05 1.78		
19.1 x 1.6		
19.18 x 2.46		AS-910
19.2 x 3		
19.3 x 2.4		
19.5 x 1		
19.5 x 1.5		
19.5 x 2		
19.5 x 2.4		
19.5 x 2.5		
19.5 x 3		
19.5 x 6		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
19.6 x 2.4		
19.8 x 1.9		
19.8 x 2.4		P-20
19.8 x 3.6		R16
19.99 x 5.33	13/16 x 1" 3/16 3/16	AS-315
20 x 1		
20 x 1.3		
20 x 1.5		
20 x 2		
20 x 2.5		
20 x 2.65		DIN/ISO/NF
20 x 3		
20 x 3.5		
20 x 3.55		DIN/ISO/NF
20 x 4		
20 x 4.5		
20 x 5		
20 x 6		
20.2 x 3		
20.22 x 3.53	13/16 x 1" 1/16 x 1/8	AS-211
20.3 x 1.6		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
20.3 x 2.4		
20.3 x 2.62	13/16 x 1" x 3/32	AS-117
20.35 x 1.78	13/16 x 15/16 x 1/16	AS-019
20.5 x 1		
20.5 x 1.5		
20.5 x 2		
20.5 x 2.4		
20.5 x 2.5		
20.5 x 3		
20.64 x 2.62		
20.8 x 2.4		P-21
21 x 1		
21 x 1.5		
21 x 1.9		
21 x 2		
21 x 2.5		
21 x 3		
21 x 3.5		
21 x 4		
21 x 4.5		
21 x 5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
21 x 6		
21.2 x 2.65		DIN/ISO/NF
21.2 x 3.55		DIN/ISO/NF
21.3 x 3.6		
21.5 x 1		
21.5 x 1.5		S-22
21.5 x 2		
21.5 x 2.4		
21.5 x 2.5		
21.5 x 3		
21.5 x 4.5		
21.59 x 5.33	7/8 x 1" 1/4 x 3/16	AS-316
21.6 x 2.4		
21.7 x 3.5		P-22A
21.8 x 2.4		P-22
21.82 x 3.53	7/8 x 1 1/8 x 1/8	AS-212
21.89 x 2.62	7/8 x 11/16 x 3/32	AS-118
21.9 x 2		S-22.4
21.92 x 2.95		AS-911
21.95 x 1.78	7/8 x 1 x 1/16	AS-020
22 x 1		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
22 x 1.5		
22 x 2		
22 x 2.5		
22 x 3		
22 x 3.5		
22 x 4		
22 x 4.5		
22 x 5		
22 x 5.5		
22 x 6		
22.1 x 1.6		
22.1 x 1.9		
22.1 x 2.4		
22.1 x 3.5		P-22.4
22.2 x 3		
22.23 x 2.62		
22.3 x 2.4		
22.4 x 2.5		
22.4 x 2.62		DIN/ISO/NF
22.4 x 3.55		DIN/ISO/NF
22.5 x 1		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
22.5 x 2		
22.5 x 3		
22.5 x 4.5		
23 x 1		
23 x 1.5		
23 x 2		
23 x 2.5		
23 x 3		
23 x 3.5		
23 x 3.6		R18
23 x 4		
23 x 4.5		
23 x 5		
23 x 6		
23.16 x 5.33	15/16 x 1 5/16 x 3/16	AS-317
23.3 x 1.9		
23.3 x 2.4		
23.39 x 3.53	15/16 x 1 3/16 x 1/8	AS-213
23.47 x 2.62	15/16 x 1 1/8 x 3/32	AS-119
23.47 x 2.95		AS-912
23.5 x 1		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
23.5 x 1.5		
23.5 x 2		
23.5 x 2.4		S-24
23.5 x 2.5		
23.5 x 3		
23.5 x 4		V-24
23.5 x 6		
23.52 x 1.78	15/16 x 1 1/16 x 1/16	AS-021
23.6 x 2.65		DIN/ISO/NF
23.6 x 3.55		DIN/ISO/NF
23.7 x 3.5		P-24
23.81 x 2.62		
24 x 1		
24 x 1.5		
24 x 2		
24 x 2.5		
24 x 3		
24 x 3.5		
24 x 4		
24 x 4.5		
24 x 5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
24 x 6		
24.2 x 3		
24.4 x 3.1		G-25
24.5 x 1		
24.5 x 1.5		
24.5 x 2		S-25
24.5 x 2.5		
24.5 x 3		
24.5 x 4.5		
24.6 x 2.4		
24.6 x 3		
24.6 x 3.6		R19
24.7 x 1.9		
24.7 x 2.4		
24.7 x 3.5		P-25
24.77 x 5.33	1 x 1 3/8 x 3/16	AS-318
24.99 x 3.53	1 x 1 1/4 x 1/8	AS-214
25 x 1		
25 x 1.5		
25 x 2		
25 x 2.4		R19b

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
25 x 2.5		
25 x 2.65		DIN/ISO/NF
25 x 3		
25 x 3.5		
25 x 3.55		DIN/ISO/NF
25 x 4		
25 x 4.5		
25 x 5		
25 x 6		
25 x 8		
25.04 x 2.95		AS-913
25.07 x 2.62	1 x 13/16 x 3/32	AS-120
25.1 x 1.6		
25.12 x 1.78	1 x 1 1/8 x 1/16	AS-022
25.2 x 3		
25.2 x 3.5		P-25.5
25.3 x 2.4		
25.4 x 1.6		
25.5 x 1.6		
25.5 x 1.5		
25.5 x 2		S-26

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
25.5 x 2.5		
25.5 x 3		
25.7 x 3.5		P-26
25.8 x 2.65		DIN/ISO/NF
25.8 x 3.55		DIN/ISO/NF
26 x 1.5		
26 x 2		
26 x 2.5		
26 x 3		
26 x 3.5		
26 x 4		
26 x 4.5		
26 x 5		
26 x 6		
26.2 x 1.9		
26.2 x 2.4		
26.2 x 3		
26.2 x 3.6		R20
26.34 x 5.33	1 1/16 x 1 7/16 x 3/16	AS-319
26.5 x 1.5		
26.5 x 2		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
26.5 x 2.65		
26.5 x 3		
26.5 x 3.55		
26.57 x 3.53	1 1/16 x 1 7/16 x 3/16	AS-215
26.59 x 2.95		AS-914
26.64 x 2.62	1 1/16 x 1 1/4 x 3/32	AS-121
26.7 x 1.78	1 1/16 x 1 3/16 x 1/16	AS-203
27 x 1.5		
27 x 2		
27 x 2.5		
27 x 3		
27 x 3.5		
27 x 4		
27 x 4.5		
27 x 5		
27 x 6		
27.1 x 1.6		
27.3 x 2.4		
27.3 x 2.7		R20t
27.5 x 1.5		
27.5 x 2		S-28

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
27.5 x 2.4		
27.5 x 2.5		
27.5 x 3		
27.5 x 4.5		
27.6 x 2.4		
27.7 x 1.9		
27.7 x 2.4		
27.7 x 3.5		P-28
27.8 x 1.6		
27.8 x 3.6		R21
27.94 x 5.33	1 1/8 x 1 1/2 x 3/16	AS-320
28 x 1.5		
28 x 2		
28 x 2.5		
28 x 2.65		DIN/ISO/NF
28 x 3		
28 x 3.15		
28 x 3.5		
28 x 3.55		DIN/ISO/NF
28 x 4		
28 x 4.5		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
28 x 5		
28 x 6		
28.17 x 3.53	1 1/8 x 1 3/8 x 1/8	AS-216
28.24 x 2.62	1 1/8 x 15/16 x 3/32	AS-122
28.3 x 1.78	1 1/8 x 1 1/4 x 1/16	AS-024
28.5 x 1.5		
28.5 x 2		S-29
28.5 x 2.5		
28.5 x 3		
28.5 x 4.5		
28.7 x 3.5		P-29
28.8 x 3.53		
29 x 1.5		
29 x 2		
29 x 2.5		
29 x 3		
29 x 3.5		
29 x 4		
29 x 4.5		
29 x 5		
29 x 6		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
29.1 x 1.6		
29.1 x 2.55		R20b
29.2 x 3		
29.2 x 3.5		P-29.5
29.3 x 3.6		R22
29.4 x 1		
29.4 x 3.1		G-30
29.5 x 1.5		
29.5 x 2		S-30
29.5 x 2.5		
29.5 x 3		
29.5 x 4.5		
29.51 x 5.33	1 3/16 x 1 9/16 x 3/16	AS-321
29.6 x 2.4		
29.7 x 1.9		
29.7 x 2.4		
29.7 x 3.5		P-30
29.74 x 2.95		AS-916
29.74 x 3.53	1 3/16 x 1 7/16 x 1/8	AS-217
29.82 x 2.62	1 3/16 x 1 3/8 x 3/32	AS-123
29.87 x 1.78	1 3/16 x 1 5/16 x 1/16	AS-025

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
29.9 x 1		
30 x 1.5		
30 x 2		
30 x 2.5		
30 x 2.65		DIN/ISO/NF
30 x 3		
30 x 3.5		
30 x 3.55		DIN/ISO/NF
30 x 4		
30 x 4.5		
30 x 5		
30 x 6		
30.2 x 3		
30.5 x 1.5		
30.5 x 2		
30.5 x 2.5		
30.5 x 3		
30.7 x 3.5		P-31
30.8 x 3.6		R23
31 x 1.5		
31 x 2		S-31.5

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
31 x 2.5		
31 x 3		
31 x 3.5		
31 x 4		
31 x 4.5		
31 x 5		
31 x 6		
31.12 x 5.33	1 ¼ x 1 ⅝ x 3/16	AS-322
31.2 x 1.9		
31.2 x 2.4		P-31.5
31.34 x 3.53	1 ¼ x 1 ½ x ⅛	AS-218
31.42 x 2.62	1 ¼ x 17/16 x 3/32	AS-124
31.47 x 1.78	1 ¼ x 1 ⅜ x 1/16	AS-026
31.5 x 1.5		
31.5 x 2		S-31.5
31.5 x 2.5		
31.5 x 2.65		DIN/ISO/NF
31.5 x 3		
31.5 x 3.55		DIN/ISO/NF
31.5 x 4.5		
31.6 x 2.4		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
31.7 x 3.5		P-32
32 x 1.5		
32 x 2		
32 x 2.5		
32 x 3		
32 x 4		
32 x 4.5		
32 x 5		
32 x 6		
32 x 8		
32.1 x 1.6		
32.2 x 3		
32.5 x 1.5		
32.5 x 2		
32.5 x 2.5		
32.5 x 2.65		DIN/ISO/NF
32.5 x 3		
32.5 x 3.55		DIN/ISO/NF
32.5 x 3.6		R24
32.69 x 5.33	1 5/16 x 1 11/16 x 3/16	AS-323
32.7 x 1.3		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
32.92 x 3.53	1 5/16 x 1 9/16 x 1/8	AS-219
32.99 x 2.62	1 5/16 x 1 1/2 x 3/32	AS-125
33 x 1.5		
33 x 2		
33 x 2.5		
33 x 3		
33 x 3.5		
33 x 4		
33 x 4.5		
33 x 5		
33 x 6		
33.05 x 1.78	1 5/16 x 1 7/16 x 1/16	AS-027
33.2 x 1.9		
33.2 x 2.4		
33.3 x 2.4		
33.5 x 1.5		
33.5 x 2		S-34
33.5 x 2.5		
33.5 x 2.65		DIN/ISO/NF
33.5 x 3		
33.5 x 3.15		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
33.5 x 2		S-34
33.5 x 2.5		
33.5 x 2.65		DIN/ISO/NF
33.5 x 4		V-34
33.7 x 3.5		P-34
34 x 1.5		
34 x 2		
34 x 2.5		
34 x 3		
34 x 3.5		
34 x 4		
34 x 4.5		
34 x 5		
34 x 6		
34.1 x 3.6		R25
34.2 x 3		
34.29 x 5.33	1 3/8 x 1 3/4 x 3/16	AS-324
34.4 x 3.1		G-35
34.42 x 2.95		AS-918
34.5 x 1.5		
34.5 x 1.6		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
34.5 x 2		S-35
34.5 x 2.5		
34.5 x 2.65		DIN/ISO/NF
34.5 x 3		
34.5 x 3.55		DIN/ISO/NF
34.5 x 4.5		
34.52 x 3.53	1 3⁄8 x 1 5⁄8 x 1⁄8	AS-220
34.59 x 2.62	1 3⁄8 x 1 9⁄16 x 3⁄32	AS-126
34.6 x 2.4		
34.65 x 1.78	1 3⁄8 x 1 1⁄2 x 1⁄16	AS-028
34.7 x 3.5		P-35
35 x 1.5		
35 x 2		S-35.5
35 x 2.5		
35 x 3		
35 x 3.5		
35 x 4		
35 x 4.5		
35 x 5		
35 x 6		
35 x 10		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
35.1 x 1.6		
35.2 x 1.9		
35.2 x 2.4		
35.2 x 3		
35.2 x 3.5		P-35.5
35.2 x 5.7		
35.5 x 1.5		
35.5 x 2		S-36
35.5 x 2.5		
35.5 x 2.65		DIN/ISO/NF
35.5 x 3		
35.5 x 3.55		DIN/ISO/NF
35.5 x 4.5		
35.6 x 3.6		R26
35.7 x 3.5		P-36
35.8 x 4		
36 x 1.5		
36 x 1.78		
36 x 2		
36 x 2.5		
36 x 3		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
36 x 3.5		
36 x 4		
36 x 4.5		
36 x 5		
36 x 6		
36.09 x 3.53	1 7/16 x 1 11/16 x 1/8	AS-221
36.17 x 2.62	1 7/16 x 1 5/8 x 3/32	AS-127
36.2 x 3		
36.27 x 1.78		
36.5 x 1.5		
36.5 x 2		
36.5 x 2.65		DIN/ISO/NF
36.5 x 3		
36.5 x 3.55		DIN/ISO/NF
37 x 1.5		
37 x 2		
37 x 3		
37 x 3.5		
37 x 4		
37 x 4.5		
37 x 5		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
37 x 6		
37 x 10		
37.1 x 1.6		
37.2 x 2.4		
37.2 x 3		
37.3 x 3.6		R27
37.4 x 4.5		
37.47 x 3		AS-920
37.47 x 5.33	1 1/2 x 1 7/8 x 3/16	AS-325/R28
37.5 x 1.5		
37.5 x 2		S-38
37.5 x 2.5		
37.5 x 2.65		DIN/ISO/NF
37.5 x 3		
37.5 x 3.55		DIN/ISO/NF
37.5 x 4.5		
37.6 x 2.4		
37.69 x 3.53	1 1/2 x 1 3/4 x 1/8	AS-222
37.7 x 3.5		P-38
37.77 x 2.62	1 1/2 x 1 11/16 x 3/32	AS-128
37.82 x 1.78	1 1/2 x 1 5/8 x 1/16	AS-029

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
38 x 1.5		
38 x 2		
38 x 2.5		
38 x 3		
38 x 3.5		
38 x 4		
38 x 4.5		
38 x 5		
38 x 6		
38 x 10		
38.5 x 1.5		
38.5 x 2		S-39
38.5 x 2.5		
38.5 x 3		
38.7 x 2.65		DIN/ISO/NF
38.7 x 3.5		P-39
38.7 x 3.55		DIN/ISO/NF
39 x 1.5		
39 x 2		
39 x 2.5		
39 x 3		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
39 x 3.5		
39 x 4		
39 x 4.5		
39 x 5		
39 x 6		
39.2 x 3		
39.2 x 5.7		
39.34 x 2.62	1 9/16 x 1 3/4 x 3/32	AS-129
39.4 x 3.4		G-40
39.45 x 1.78		
39.5 x 1.5		
39.5 x 2		S-40
39.5 x 2.5		
39.5 x 3		
39.5 x 4		
39.5 x 6		
39.6 x 2.4		
39.69 x 3.53		
39.7 x 2.4		
39.7 x 3.53		P-40
40 x 1.5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
40 x 2		
40 x 2.5		
40 x 3		
40 x 3.5		
40 x 3.55		DIN/ISO/NF
40 x 4		
40 x 4.5		
40 x 5		
40 x 5.3		DIN/ISO/NF
40 x 6		
40.2 x 3		
40.5 x 4.5		
40.64 x 5.33	1 5⁄8 x 2" x 3/16	AS-326,R29
40.7 x 3.5		P-41
40.87 x 3.53	1" 5⁄8 x 1" 7⁄8 x 1⁄8	AS-223
40.94 x 2.62	1" 5⁄8 x 1" 13/16 x 3/32	P-39
41 x 1.5		
41 x 1.78	1" 5⁄8 x 1" 3⁄4 x 1/16	AS-030
41 x 2		
41 x 2.5		
41 x 3		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
41 x 3.5		
41 x 4		
41 x 4.5		
41 x 5		
41 x 6		
41.2 x 3.55		DIN/ISO/NF
41.2 x 5.3		DIN/ISO/NF
41.2 x 5.7		
41.28 x 3.53		G-40
41.4 x 5.3		R29b
41.5 x 2		S-42
41.5 x 3		
41.5 x 6		
41.6 x 2.4		
41.7 x 3.5		P-42
42 x 1.5		
42 x 2		
42 x 2.5		
42 x 3		
42 x 3.5		
42 x 4		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
44.2 x 3		
44.2 x 5.7		
44.3 x 5.7		
44.4 x 3.1		G-45
44.45 x 3.53		
44.5 x 2		S-45
44.5 x 3		
44.5 x 6		
44.6 x 2.4		
44.7 x 2.4		
44.7 x 3.5		P-45
44.95 x 3.53		
45 x 1.5		
45 x 1.6		
45 x 2		
45 x 2.5		
45 x 3		
45 x 3.5		
45 x 3.55		DIN/ISO/NF
45 x 3.6		
45 x 4		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
45 x 4.5		
45 x 5		
45 x 5.3		DIN/ISO/NF
45 x 6		
45.2 x 3		
45.3 x 5.7		
45.5 x 2		S-46
45.69 x 2.62	1" 13/16 x 2" x 3/32	AS-133
45.7 x 3.5		P-46
46 x 1.5		
46 x 2		
46 x 2.5		
46 x 3		
46 x 3.5		
46 x 4		
46 x 4.5		
46 x 5		
46 x 6		
46.04 x 3.53		
46.2 x 3		
46.2 x 3.55		DIN/ISO/NF

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
46.2 x 5.3		DIN/ISO/NF
46.99 x 5.33	1" 7/8 x 2" 1/4 x 3/16	AS-328,R31
47 x 1.5		
47 x 2		
47 x 2.5		
47 x 3		
47 x 3.5		
47 x 3.7		
47 x 4		
47 x 4.5		
47 x 5		
47 x 6		
47.2 x 2.4		
47.2 x 5.7		
47.22 x 3.53	1" 7/8 x 2" 1/8 x 1/8	AS-225
47.29 x 2.62	1" x 7/8 x 2" 1/16 x 3/32	AS-134
47.35 x 1.78	1" 7/8 x 2" x 1/16	AS-032
47.5 x 2		S-48
47.5 x 3.55		DIN/ISO/NF
47.5 x 5.3		DIN/ISO/NF
47.6 x 2.4		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
47.6 x 5.7		P-48A
47.62 x 3.53		
47.65 x 1.57		
47.7 x 3.5		P-48
48 x 1.5		
48 x 2		
48 x 2.5		
48 x 3		
48 x 4		
48 x 4.5		
48 x 5		
48 x 6		
48.7 x 3.5		P-49
48.7 x 3.55		DIN/ISO/NF
48.7 x 5.3		DIN/ISO/NF
48.9 x 2.62	1" 5/16 x 2" 1/8 x 3/32	AS-135
49 x 1.5		
49 x 2		
49 x 2.5		
49 x 3		
49 x 3.5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
49 x 4		
49 x 4.5		
49 x 5		
49 x 6		
49.2 x 3.53		
49.2 x 5.7		
49.4 x 3.1		G-50
49.5 x 2		S-50
49.5 x 3		
49.6 x 2.4		
49.6 x 5.7		P-50A
49.7 x 2.4		
49.7 x 3.5		P-50
50 x 1.5		
50 x 2		
50 x 2.5		
50 x 3		
50 x 3.5		
50 x 3.55		DIN/ISO/NF
50 x 4		
50 x 4.5		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
50 x 4.5		
50 x 5		
50 x 5.3		DIN/ISO/NF
50 x 6		
50 x 6.5		
50.17 x 5.33	2" x 2" 3/8 x 3/16	AS-329,R32
50.39 x 3.53	2" x 2" 1/4 x 1/8	AS-226
50.47 x 2.62	2" x 2" 3/16 x 3/32	AS-136
50.5 x 3		
50.52 x 1.78	2" x 2" 1/8 x 1/16	AS-033
50.8 x 3.53		
51 x 1.5		
51 x 2		
51 x 2.5		
51 x 3		
51 x 3.5		
51 x 4		
51 x 4.5		
51 x 5		
51 x 6		
51.2 x 5.7		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
51.5 x 3.55		DIN/ISO/NF
51.5 x 5.3		DIN/ISO/NF
51.6 x 2.4		
51.6 x 5.7		P-52
52 x 1.5		
52 x 2		
52 x 2.5		G-50
52 x 3		S-50
52 x 3.5		
52 x 3.5		
52 x 4		
52 x 5		
52 x 6		
52.07 x 2.62	2" 1/16 x 2 ¼ x 3/32	AS-137
52.3 x 5.7		
52.4 x 3.53		
52.5 x 2		S-53
52.5 x 3		
52.5 x 5.7		
52.6 x 2.4		
52.6 x 3.5		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
52.6 x 5.7		P-53
53 x 1.5		
53 x 2		
53 x 2.5		
53 x 3		
53 x 3.5		
53 x 3.55		DIN/ISO/NF
53 x 4		
53 x 4.5		
53 x 5		
53 x 5.3		DIN/ISO/NF
53 x 6		
53.09 x 3		AS-928
53.34 x 5.33	2" ⅛ x 2" ½ x 3/16	AS330,R33
53.57 x 3.53	2" ⅛ x 2" 3/8 x ⅛	AS-227
53.64 x 2.62	2" ⅛ x 2" 5/16x 3/32	AS-138
53.7 x 1.78	2" ⅛ x 2" ¼ x 1/16	AS-034
53.97 x 3.53		
54 x 1.5		
54 x 2		
54 x 2.5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
54 x 3		
54 x 3.5		
54 x 4		
54 x 5		
54 x 6		
54.2 x 3		
54.2 x 5.7		
54.3 x 5.7		
54.4 x 3.1		G-55
54.4 x 5.3		R33b
54.5 x 2		S-55
54.5 x 3		
54.5 x 3.55		DIN/ISO/NF
54.5 x 4		V-55
54.5 x 5.3		DIN/ISO/NF
54.6 x 2.4		
54.6 x 5.7		P-55
55 x 1.5		
55 x 2		
55 x 2.5		
55 x 3		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
55 x 3.5		
55 x 4		
55 x 5		
55 x 6		
55.2 x 5.7		
55.25 x 2.62	2" 3/16 x 2" 3/8 x 3/32	AS-139
55.3 x 5.7		
55.5 x 2		S-56
55.5 x 2.4		
55.56 x 3.53		
55.6 x 3.5		
55.6 x 5.7		P-56
56 x 1.5		
56 x 2		
56 x 2.5		
56 x 3		
56 x 3.5		
56 x 3.55		DIN/ISO/NF
56 x 4		
56 x 4.5		
56 x 5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
56 x 5.3		DIN/ISO/NF
56 x 6		
56.52 x 5.33	2" ¼ x 2" ⅝ x 3/16	AS-331,R34
56.74 x 3.53	2" ¼ x 2" ½ x ⅛	AS-228
56.82 x 2.62	2" ¼ x 2" 7/16 x 3/32	AS-140
56.87 x 1.78	2" ¼ x 2" ⅜ x 1/16	AS-035
57 x 1.5		
57 x 2		
57 x 2.5		
57 x 3		
57 x 4		
57 x 4.5		
57 x 5		
57 x 6		
57.15 x 3.53		
57.2 x 5.7		
57.6 x 2.4		
57.6 x 5.7		P-58
58 x 1.5		
58 x 2		
58 x 3		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
58 x 3.5		
58 x 3.55		DIN/ISO/NF
58 x 4		
58 x 5		
58 x 5.3		DIN/ISO/NF
58 x 6		
58.42 x 2.62	2" 5/16 x 2" ½ x 3/32	AS-141
58.74 x 3.53		
59 x 1.5		
59 x 2		
59 x 2.5		
59 x 3		
59 x 3.5		
59 x 4		
59 x 5		
59.2 x 5.7		
59.3 x 5.7		
59.36 x 3		AS-932
59.4 x 3.1		G-60
59.5 x 2		S-60
59.5 x 3		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
59.5 x 6		
59.6 x 2.4		
59.6 x 3.5		
59.6 x 5.7		P-60
59.69 x 5.33	2" 3/8 x 2" 3/4 x 3/16	AS332,R35
59.7 x 5.7		
59.92 x 3.53	2" 3/8 x 2" 5/8 x 1/8	AS-229
59.99 x 2.62	2" 3/8 x 2" 9/16 x 3/32	AS-142
60 x 1.5		
60 x 2		
60 x 2.5		
60 x 3		
60 x 3.5		
60 x 3.55		DIN/ISO/NF
60 x 4		
60 x 4.5		
60 x 5		
60 x 5.3		DIN/ISO/NF
60 x 6		
60 x 8		
60.04 x 1.78	2" 3/8 x 2" 1/2 x 1/16	AS-036

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
60.32 x 3.53		
61 x 1.5		
61 x 2		
61 x 2.5		
61 x 3		
61 x 3.5		
61 x 4		
61 x 4.5		
61 x 5		
61 x 6		
61.5 x 3.55		DIN/ISO/NF
61.5 x 5.3		DIN/ISO/NF
61.6 x 2.4		
61.6 x 2.62	2" 7/16 x 2" 5/8 x 3/32	AS-143
61.6 x 5.7		P-62
61.9 x 3.53		
62 x 1.5		
62 x 2		
62 x 2.5		
62 x 3		
62 x 3.5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
62 x 4		
62 x 5		
62 x 5.7		
62 x 6		
62.2 x 3		
62.3 x 5.7		
62.5 x 2		S-63
62.6 x 2.4		
62.6 x 3.5		
62.6 x 5.7		P-63
62.87 x 5.33	2" 1/2 x 2" 7/8 x 3/16	AS-333,R36
63 x 1.5		
63 x 2		
63 x 2.5		
63 x 3		
63 x 3.5		
63 x 3.55		DIN/ISO/NF
63 x 4		
63 x 4.5		
63 x 5		
63 x 5.3		DIN/ISO/NF

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
63 x 6		
63.09 x 3.53	2" 1/2 x 2" 3/4 x 1/8	AS-230
63.17 x 2.62	2" 1/2 x 2 11/16 x 3/32	AS-144
63.22 x 1.78	2" 1/2 x 2 5/8 x 1/16	AS-037
63.5 x 3.53		
64 x 1.5		
64 x 2		
64 x 2.5		
64 x 3		
64 x 3.5		
64 x 4		
64 x 4.5		
64 x 5		
64 x 5.7		
64 x 6		
64.2 x 1.6		
64.2 x 5.7		
64.3 x 5.7		
64.4 x 3.1		G-65
64.5 x 2		S-65
64.5 x 3		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
64.6 x 2.4		
64.6 x 5.7		P-65
64.77 x 2.62	2" 9/16 x 2" 3/4 x 3/32	AS-145
65 x 1.5		
65 x 2		
65 x 2.5		
65 x 3		
65 x 3.5		
65 x 3.55		DIN/ISO/NF
65 x 4		
65 x 4.5		
65 x 5		
65 x 5.3		DIN/ISO/NF
65 x 6		
65.1 x 3.53		
66 x 1.5		
66 x 2		
66 x 2.5		
66 x 3		
66 x 3.5		
66 x 4		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
66 x 4.5		
66 x 5		
66 x 6		
66.04 x 5.33	2" 5/8 x 3" x 3/16	AS-334,R37
66.27 x 3.53	2" 5/8 x 2" 7/8 x 1/8	AS-231
66.34 x 2.62	2" 5/8 x 2" 13/16 x 3/32	AS-146
66.4 x 1.78	2" 5/8 x 2" 3/4 x 1/16	AS-038
66.5 x 2		S-67
66.6 x 2.4		
66.6 x 3.5		
66.6 x 5.7		P-67
66.67 x 3.53		
67 x 1.5		
67 x 2		
67 x 2.5		
67 x 3		
67 x 3.5		
67 x 3.55		DIN/ISO/NF
67 x 4		
67 x 5		
67 x 5.3		DIN/ISO/NF

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
67 x 6		
67.2 x 5.7		
67.6 x 2.4		
67.95 x 2.62	2" 11/16 x 7/8 x 3/32	AS-147
68 x 1.5		
68 x 2		
68 x 2.5		
68 x 3		
68 x 3.5		
68 x 4		
68 x 4.5		
68 x 5		
68 x 6		
68.26 x 3.53		
69 x 1.5		
69 x 2		
69 x 2.5		
69 x 3		
69 x 3.5		
69 x 3.55		DIN/ISO/NF
69 x 4		V-70

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
69 x 4.5		
69 x 5		
69 x 5.3		DIN/ISO/NF
69 x 5.7		
69 x 6		
69.2 x 5.7		
69.22 x 5.33	2" 3/4 x 3" 1/8 x 3/16	AS-335,R38
69.3 x 5.7		
69.4 x 3.1		G-70
69.44 x 3.53	2" 3/4 x 3"x 1/8	AS-232
69.5 x 2		S-70
69.5 x 3		
69.52 x 2.62	2 3/4 x 2 15/16 x 3/32	AS-148
69.57 x 1.78	2 3/4 x 2 7/8 x 1/16	AS-039
69.6 x 2.4		
69.6 x 5.7		P-70
69.85 x 3.53		
70 x 1.5		
70 x 2		
70 x 2.5		
70 x 3		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
70 x 3.5		
70 x 4		
70 x 4.5		
70 x 5		
70 x 6		
70 x 7		
70.5 x 2		S-71
70.6 x 2.4		
70.6 x 3.5		
70.6 x 5.7		
71 x 1.5		
71 x 2		
71 x 2.5		
71 x 3		
71 x 3.5		
71 x 3.55		DIN/ISO/NF
71 x 4		
71 x 4.5		
71 x 5		
71 x 5.3		DIN/ISO/NF
71.12 x 2.62	2" 13/16 x 3" x 3/32	AS-149

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
71.44 x 3.53		
71.7 x 5.7		
72 x 1.5		
72 x 2		
72 x 2.5		
72 x 3		
72 x 3.5		
72 x 4		
72 x 5		
72 x 6		
72.39 x 5.33	2" 7/8 x 3" 1/4 x 3/16	AS-336,R39
72.62 x 3.53	2" 7/8 x 3" 1/8 x 1/8	AS-233
72.69 x 2.62	2" 7/8 x 3" 1/16 x 3/32	AS-150
72.75 x 1.78	2" 7/8 x 3" x 1/16	AS-040
73 x 1.5		
73 x 2		
73 x 3		
73 x 3.5		
73 x 3.55		DIN/ISO/NF
73 x 4		
73 x 4.5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
73 x 5		
73 x 5.3		DIN/ISO/NF
73 x 6		
73.02 x 3.53		
74 x 1.5		
74 x 2		
74 x 2.5		
74 x 3		
74 x 3.5		
74 x 4		
74 x 4.5		
74 x 5		
74 x 6		
74.2 x 5.7		
74.3 x 2.62		
74.3 x 5.7		
74.5 x 2		S-75
74.5 x 3		
74.5 x 3.1		G-75
74.63 x 5.33		DIN/ISO/NF
75 x 1.5		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
75 x 2		
75 x 2.5		
75 x 3		
75 x 3.5		
75 x 3.55		DIN/ISO/SF
75 x 4		
75 x 4.5		
75 x 5		
75 x 5.3		DIN/ISO/NF
75 x 6		
75 x 7.5		
75.57 x 5.33	3" x 3" 3/8 x 3/16	AS-337,R40
75.79 x 3.53	3" x 3" 1/4 x 1/8	AS-234
75.87 x 2.62	3" x 3" 3/16 x 3/32	AS-151
75.92 x 1.78	3" x 3" 1/8 x 1/16	AS-041
76 x 1.5		
76 x 2		
76 x 3		
76 x 3.5		
76 x 4		
76 x 4.5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
76 x 5		
76 x 6		DIN/ISO/NF
77 x 1.5		
77 x 2		
77 x 3		
77 x 3.5		
77 x 4		
77 x 5		
77.5 x 2.62		
77.5 x 3.55		DIN/ISO/NF
77.5 x 5.3		DIN/ISO/NF
78 x 1.5		
78 x 2		
78 x 2.5		
78 x 3		
78 x 3.5		
78 x 4		
78 x 5		
78 x 6		
78.5 x 6		DIN/ISO/NF
78.74 x 533	3" 1/8 x 3" 1/2 x 13/16	AS-338,R41

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
78.97 x 3.53	3" 1/8 x 3" 3/8 x 1/8	AS-235
79 x 1.5		
79 x 1.78		
79 x 2		
79 x 2.5		
79 x 3		
79 x 3.5		
79 x 4		
79 x 5		
79 x 6		
79.2 x 5.7		
79.4 x 3.1		G-80
79.5 x 2		S-80
79.5 x 3		
79.6 x 3.5		
79.6 x 5.7		P-80
79.73 x 5.33		
79.77 x 5.33		
80 x 1.5		
80 x 2		
80 x 2.5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
80 x 3		
80 x 3.5		
80 x 3.55		
80 x 4		
80 x 4.5		
80 x 5		
80 x 5.3		DIN/ISO/NF
80 x 6		
80.6 x 2.62		
81 x 1.5		
81 x 2		
81 x 2.5		
81 x 3		
81 x 3.5		
81 x 4		
81 x 4.5		
81 x 5		
81 x 6		
81.2 x 5.7		
81.5 x 6		
81.92 x 5.33	3" ¼ x 3" ⅝ x 3/16	AS-339,R42

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
82 x 1.5		
82 x 2		
8 x 2.5		
82 x 3		
82 x 3.5		
82 x 4		
82 x 5		
82.14 x 3.53	3" ¼ x 3" ½ x ⅛	AS-236
82.22 x 2.62	3" ¼ x 3" 7/16 x 3/32	AS-152
82.27 x 1.78	3" ¼ x 3" ⅜ x 1/16	AS-042
82.5 x 3.55		DIN/ISO/NF
82.5 x 5.3		DIN/ISO/NF
83 x 1.5		
83 x 2		
83 x 2.5		
83 x 3		
83 x 3.5		
83 x 4		
83 x 4.5		
83 x 5		
83.8 x 2.62		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
84 x 1.5		
84 x 2		
84 x 2.5		
84 x 3		
84 x 3.5		
84 x 4		V-85
84 x 5		
84 x 5.7		
84 x 6		
84.1 x 5.7		
84.2 x 5.7		
84.3 x 5.7		
84.4 x 3.1		G-85
84.5 x 2		S-85
84.5 x 3		
84.6 x 3.5		
84.6 x 5.7		P-85
85 x 1.5		
85 x 2		
85 x 2.5		
85 x 3		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
85 x 3.5		
85 x 3.55		DIN/ISO/NF
85 x 4		
85 x 4.5		
85 x 5		
85 x 5.3		DIN/ISO/NF
85 x 6		
85.09 x 5.33	3" ³ / ₈ x 3" ³ / ₄ x 3/16	AS-340,R43
85.32 x 3.53	3" ³ / ₈ x 3" ⁵ / ₈ x 1/8	AS-237
85.34 x 1.78		
86 x 1.5		
86 x 2		
86 x 2.5		
86 x 3		
86 x 3.5		
86 x 4		
86 x 4.5		
86 x 5		
86 x 6		
87 x 1.5		
87 x 2		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
87 x 2.5		
87 x 3		
87 x 3.5		
87 x 4		
87 x 5		
87.2 x 5.7		
87.5 x 3.55		DIN/ISO/NF
87.5 x 5.3		DIN/ISO/NF
88 x 1.5		
88 x 2		
88 x 2.5		
88 x 3		
88 x 3.5		
88 x 4		
88 x 5		
88 x 6		
88.27 x 5.33	3" 1/2 x 3" 7/8 x 3/16	AS-341,R44
88.49 x 3.53	3" 1/2 x 3" 3/4 x 1/8	AS-238
88.57 x 2.62	3" 1/2 x 3" 11/16 x 3/32	AS-153
88.62 x 1.78	3" 1/2 x 3" 5/8 x 1/16	AS-043
89 x 1.5		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
89 x 2		
89 x 2.5		
89 x 3		
89 x 3.5		
89 x 4		
89 x 4.5		
89 x 5		
89 x 5.7		
89.1 x 5.7		
89.2 x 5.7		
89.3 x 5.7		
89.4 x 3.1		G-90
89.5 x 2		S-90
89.5 x 3		
89.6 x 3.5		
89.6 x 5.7		P-90
89.69 x 5.33		
90 x 1.5		
90 x 2		
90 x 2.5		
90 x 3		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
90 x 3.5		
90 x 3.55		DIN/ISO/NF
90 x 4		
90 x 4.5		
90 x 5		
90 x 5.3		DIN/ISO/NF
90 x 6		
91 x 1.5		
91 x 2		
91 x 2.5		
91 x 3		
91 x 3.5		
91 x 4		
91 x 5		
91.44 x 5.33	3" ⁵ / ₈ x 4" x 3/16	AS-342,R45
91.67 x 3.53	3" ⁵ / ₈ x 3" ⁷ / ₈ x ¹ / ₈	AS-239
91.7 x 1.78		
92 x 1.5		
92 x 2		
92 x 2.5		
92 x 3		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
92 x 3.5		
92 x 4		
92 x 4.5		
92 x 5		
92 x 6		
92.2 x 5.7		
92.5 x 3.55		DIN/ISO/NF
92.5 x 5.3		DIN/ISO/NF
93 x 1.5		
93 x 2		
93 x 2.5		
93 x 3		
93 x 3.5		
93 x 4		
93 x 5		
93 x 6		
93.5 x 4.5		
94 x 1.5		
94 x 2		
94 x 2.5		
94 x 3		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
94 x 3.5		
94 x 4		
94 x 5		
94 x 5.7		
94.1 x 5.7		
94.3 x 5.7		
94.4 x 3.1		G-95
94.5 x 2		S-95
94.5 x 3		
94.6 x 3.5		
94.6 x 5.7		P-95
94.62 x 5.33	3" 3/4 x 4" 1/8 x 3/16	AS-343,R46
94.84 x 3.53	3" 3/4 x 4" x 1/8	AS-240
94.92 x 2.62	3" 3/4 x 3" 15/16 x 3/32	AS-154
94.97 x 1.78	3" 3/4 x 3" 7/8 x 1/16	AS-044
95 x 1.5		
95 x 2		
95 x 2.5		
95 x 3		
95 x 3.5		
95 x 3.55		DIN/ISO/NF

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
95 x 4		
95 x 4.5		
95 x 5		
95 x 5.3		DIN/ISO/NF
95 x 6		
96 x 1.5		
96 x 2		
96 x 2.5		
96 x 3		
96 x 3.5		
96 x 4		
96 x 5		
96 x 6		
97 x 1.5		
97 x 2		
97 x 2.5		
97 x 3		
97 x 3.5		
97 x 4		
97 x 5		
97.2 x 5.7		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
97.5 x 3.55		DIN/ISO/NF
97.5 x 4.5		
97.5 x 5.3		DIN/ISO/NF
97.79 x 5.33	3" 7/8 x 4" 1/4 x 3/16	AS-344,R47
98 x 1.5		
98 x 2		
98 x 2.5		
98 x 3		
98 x 3.5		
98 x 4		
98 x 4.5		
98 x 5		
98 x 6		
98.02 x 3.53	3" 7/8 x 4" 1/4 x 1/8	AS-241
98.05 x 1.78		
99 x 1.5		
99 x 2		
99 x 2.5		
99 x 3		
99 x 3.5		
99 x 4		V-100

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
99 x 5		
99 x 5.7		
99 x 6		
99.1 x 5.7		
99.3 x 5.7		
99.4 x 3.1		G-100
99.5 x 2		S-100
99.5 x 3		
99.5 x 4.5		
99.6 x 3.5		
99.6 x 5.7		P-100
100 x 1.5		
100 x 2		
100 x 2.5		
100 x 3		
100 x 3.5		
100 x 3.55		DIN/ISO/NF
100 x 4		
100 x 4.5		
100 x 5		
100 x 5.3		DIN/ISO/NF

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
100 x 5.33		
100 x 6		
100.5 x 4.5		
100.97 x 5.33	4" x 4" $\frac{3}{8}$ x $\frac{3}{16}$	AS-241
101 x 2.5		
101 x 3		
101 x 3.5		
101 x 4		
101 x 4.5		
101 x 5		
101 x 6		
101.19 x 3.53	4" x 4" $\frac{1}{4}$ x $\frac{1}{8}$	AS-242
98 x 6		
98.02 x 3.53	3" $\frac{7}{8}$ x 4" $\frac{1}{4}$ x $\frac{1}{8}$	AS-241
98.05 x 1.78		
99 x 1.5		
99 x 2		
99 x 2.5		
99 x 3		
99 x 3.5		
99 x 4		V-100

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
99 x 5		
99 x 5.7		
99 x 6		
99.1 x 5.7		
99.3 x 5.7		
99.4 x 3.1		G-100
99.5 x 2		S-100
99.5 x 3		
99.5 x 4.5		
99.6 x 3.5		
99.6 x 5.7		P-100
100 x 1.5		
100 x 2		
100 x 2.5		
100 x 3		
100 x 3.5		
100 x 3.55		DIN/ISO/NF
100 x 4		
100 x 4.5		
100 x 5		
100 x 5.3		DIN/ISO/NF

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
100 x 5.33		
100 x 6		
100.5 x 4.5		
100.97 x 5.33	4" x 4" $\frac{3}{8}$ x 3/16	AS-345,R48
101 x 2.5		
101 x 3		
101 x 3.5		
101 x 4		
101 x 5		
101 x 6		
101.19 x 3.53	4" x 4" $\frac{1}{4}$ x $\frac{1}{8}$	AS-242
101.27 x 2.62	4" x 4" 3/16 x 3/32	AS-155
101.32 x 1.78	4" x 4" $\frac{1}{8}$ x 1/16	AS-045
101.6 x 5.7		P-102
102 x 2.5		
102 x 3		
102 x 3.5		
102 x 4		
102 x 5		
103 x 2.5		
103 x 3		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
103 x 3.5		
103 x 3.55		DIN/ISO/NF
103 x 4		
103 x 5		
103 x 5.3		DIN/ISO/NF
103 x 6		
103.5 x 4.5		
104 x 2.5		
104 x 3		
104 x 3.5		
104 x 4		
104 x 5		
104 x 5.7		
104 x 6		
104.1 x 5.7		
104.14 x 5.33	4" $\frac{1}{8}$ x 4" $\frac{1}{2}$ x 3/16	AS-346,R49
104.3 x 5.7		
104.37 x 3.53	4" $\frac{1}{8}$ x 4" $\frac{3}{8}$ x $\frac{1}{8}$	AS-243
104.4 x 1.78		
104.4 x 3.1		G-105
104.5 x 2		S-105

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
104.5 x 3		
104.5 x 6		
104.6 x 5.7		P-105
105 x 2		
105 x 2.5		
105 x 3		
105 x 3.5		
105 x 4		
105 x 4.5		
105 x 5		
105 x 6		
105 x 7		
105 x 9		
105 x 10		
105.6 x 3.5		
106 x 2.5		
106 x 3		
106 x 3.5		
106 x 3.55		DIN/ISO/NF
106 x 4		
106 x 4.5		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
106 x 5		
106 x 5.3		DIN/ISO/NF
106 x 6		
107 x 2.5		
107 x 3		
107 x 3.5		
107 x 4		
107 x 5		
107.32 x 5.33	4" ¼ x 4" ⅝ x 3/16	AS-347,R50
107.54 x 3.53	4" ¼ x 4" ½ x ⅛	AS-244
107.62 x 2.62	4" ¼ x 4" 7/16 x 3/32	AS-156
107.67 x 1.78	4" ¼ x 4" ⅜ x 1/16	AS-046
108 x 2.5		
108 x 3		
108 x 3.5		
108 x 4		
108 x 5		
108 x 6		
108 x 8		
109 x 2.5		
109 x 3		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
109 x 3.5		
109 x 3.55		DIN/ISO
109 x 4		
109 x 5		
109 x 5.3		DIN/ISO
109 x 5.7		
109.1 x 5.7		
109.3 x 5.7		
109.4 x 3.1		G-110
109.5 x 2		S-110
109.5 x 3		
109.54 x 5.33		
109.6 x 5.7		P-110
110 x 2.5		
110 x 3		
110 x 3.5		
110 x 4		
110 x 4.5		
110 x 5		
110 x 6		
110 x 7		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
110 x 11		
110.49 x 5.33	4" $\frac{3}{8}$ x 4" $\frac{3}{4}$ x 3/16	AS-348,R51
110.72 x 3.53	4" $\frac{3}{8}$ x 4" $\frac{5}{8}$ x $\frac{1}{8}$	AS-245
110.74 x 1.78		
111 x 2.5		
111 x 3		
111 x 3.5		
111 x 4		
111 x 5		
111 x 6		
111.5 x 2		S-112
111.6 x 3.5		
111.6 x 5.7		P-112
112 x 2.5		
112 x 3		
112 x 3.5		
112 x 3.55		DIN/ISO/NF
112 x 4		
112 x 5		
112 x 5.3		DIN/ISO/NF
112 x 6		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
113 x 2.5		
113 x 3		
113 x 3.5		
113 x 4		
113 x 5		
113.67 x 5.33	4" 1/2 x 4" 7/8 x 3/16	AS-349,R52
113.67 x 6.99	4" 1/2 x 5" x 1/4	AS-452,R53
113.89 x 3.53	4" 1/2 x 4" 3/4 x 1/8	AS-246
113.97 x 2.62	4" 1/2 x 4" 11/16 x 3/32	AS-157
114 x 2.5		
114 x 3		
114 x 3.5		
114 x 4		
114 x 5		
114 x 5.7		
114 x 6		
114 x 8		
114.02 x 1.78	4" 1/2 x 4" 5/8 x 1/16	AS-047
114.3 x 5.7		
114.4 x 3.1		G-115
114.5 x 2		S-115

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
114.5 x 3		
114.6 x 5.7		P-115
114.7 x 6.99		
115 x 2.5		
115 x 3		
115 x 3.5		
115 x 3.55		DIN/ISO/NF
115 x 4		
115 x 4.5		
115 x 5		
115 x 5.3		DIN/ISO/NF
115 x 6		
115 x 7		DIN/ISO/NF
116 x 2.5		
116 x 3		
116 x 3.5		
116 x 4		
116 x 5		
116.84 x 5.33	4" 5/8 x 5" x 3/16	AS-350
117 x 2.5		
117 x 3		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
117 x 3.5		
117 x 4		
117 x 5		
117.07 x 3.53	4" ⁵ / ₈ x 4" ⁷ / ₈ x ¹ / ₈	AS-247
117.1 x 1.78		
117.48 x 5.33		
117.6 x 5.7		
118 x 2.5		
118 x 3		
118 x 3.5		
118 x 3.55		DIN/ISO/NF
118 x 4		
118 x 4.5		
118 x 5		
118 x 5.3		DIN/ISO/NF
118 x 6		
119 x 2.5		
119 x 3		
119 x 3.5		
119 x 4		V-120
119 x 5		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
119 x 5.7		
119.2 x 5.7		
119.3 x 5.7		
119.4 x 3.1		G-120
119.5 x 2		S-120
119.5 x 3		
119.6 x 5.7		P-120
120 x 2.5		
120 x 3		
120 x 3.5		
120 x 4		
120 x 4.5		
120 x 5		
120 x 6		
120 x 10		
120.02 x 5.33	4" ³ / ₄ x 5" ¹ / ₈ x 3/16	AS-351
120.02 x 6.99	4" ³ / ₄ x 5" ¹ / ₄ x ¹ / ₄	AS-427,R55
120.02 x 4.8		
120.24 x 3.53	4" ³ / ₄ x 5" x ¹ / ₈	AS-248
120.32 x 2.62	4" ³ / ₄ x 4" ⁵ / ₁₆ x 3/32	AS-158
120.37 x 1.78	4" ³ / ₄ x 4" ⁷ / ₈ x 1/16	AS-048

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
120.65 x 5.33		
120.70 x 5.33		
121 x 2.5		
121 x 3		
121 x 3.5		
121 x 4		
121 x 5		
122 x 2.5		
122 x 3		
122 x 3.5		
122 x 3.55		DIN/ISO/NF
122 x 4		
122 x 4.5		
122 x 5		
122 x 5.3		DIN/ISO/NF
122 x 6		
123 x 2.5		
123 x 3		
123 x 3.5		
123 x 4		
123 x 5		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
123 x 6		
123 x 8		
123.19 x 5.33	4" 7/8 x 5" 1/4 x 3/16	AS-352
123.19 x 6.99	4" 7/8 x 5" 3/8 x 1/4	AS-428,R56
123.42 x 3.53	4" 7/8 x 5" 1/8 x 1/8	AS-429
123.44 x 1.78		
123.83 x 5.33		
124 x 2.5		
124 x 3		
124 x 3.5		
124 x 4		
124 x 4.5		
124 x 5		
124 x 5.7		
124 x 6		
124.3 x 5.7		
124.4 x 3.1		G-125
124.5 x 2		S-125
124.5 x 3		
124.6 x 5.7		P-125
124.6 x 6.99		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
125 x 2.4		
125 x 2.5		
125 x 3		
125 x 3.5		
125 x 3.55		DIN/ISO/NF
125 x 4		
125 x 5		
125 x 5.3		DIN/ISO/NF
125 x 6		
125.6 x 2		
126 x 2.5		
126 x 3		
126 x 3.5		
126 x 4		
126 x 4.5		
126 x 5		
126.37 x 5.33	5" x 5" $\frac{3}{8}$ x 3/16	AS-353
126.37 x 6.99	5" x 5" $\frac{1}{2}$ x $\frac{1}{4}$	AS-429,R57
126.59 x 3.53	5" x 5" $\frac{1}{4}$ x $\frac{1}{8}$	AS-250
126.67 x 2.62	5" x 5" 3/16 x 3/32	AS-159
126.72 x 1.78	5" x 5" $\frac{1}{8}$ x 1/16	AS-049

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
127 x 2.5		
127 x 3		
127 x 3.5		
127 x 4		
127 x 5		
127 x 5.33		
128 x 2.5		
128 x 3		
128 x 3.5		
128 x 3.55		DIN/ISO/NF
128 x 4		
128 x 4.5		
128 x 5		
128 x 5.3		DIN/ISO/NF
128 x 6		
129 x 2.5		
129 x 3		
129 x 3.5		
129 x 4		
129 x 5		
129.1 x 5.7		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
129.2 x 5.7		
129.3 x 5.7		
129.4 x 1.78		
129.4 x 3.1		G-130
129.5 x 2		S-130
129.5 x 3		
129.54 x 5.33	5" 1/8 x 5" 1/2 x 3/16	AS-354
129.54 x 6.99	5" 1/8 x 5" 5/8 x 1/4	AS-430,R58
129.6 x 5.7		P-130
129.77 x 3.53	5" 1/8 x 5" 3/8 x 1/8	AS-251
130 x 2.5		
130 x 3		
130 x 3.5		
130 x 4		
130 x 4.5		
130 x 5		
130 x 6		
130.18 x 5.33		
131 x 2.5		
131 x 3		
131 x 3.5		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
131 x 4		
131 x 5		
131.5 x 2		S-132
131.5 x 4.5		
131.6 x 4.5		
131.6 x 5.7		P - 132
132 x 2.5		
132 x 3		
132 x 3.5		
132 x 3.55		DIN/ISO/NF
132 x 6		
132.72 x 5.33	5" 1/4 x 5" 5/8 x 3/16	AS-355
132.72 x 6.99	5" 1/4 x 5" 3/4 x 1/4	AS-431,R59
132.95 x 3.53	5" 1/4 x 5" 1/2 x 1/8	AS-252
133 x 2.5		
133 x 3		
133 x 3.5		
133 x 4		
133 x 5		
133.02 x 2.62	5" 1/4 x 5" 7/16 x 3/32	AS-160
133.07 x 1.78	5" 1/4 x 5" 3/8 x 1/16	AS-050

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
133.35 x 5.33		
134 x 2.5		
134 x 3		
134 x 3.5		
134 x 4		
134 x 5		
134 x 6		
134.3 x 5.7		
134.4 x 3.1		G-135
134.5 x 2		S-135
134.5 x 3		
134.5 x 4.5		
134.5 x 6.99		
134.6 x 5.7		P-135
135 x 2.5		
135 x 3		
135 x 3.5		
135 x 4		
135 x 5		
135 x 6		
135.76 x 1.78		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
135.89 x 5.33	5" $\frac{3}{8}$ x 5" $\frac{3}{4}$ x 3/16	AS-356
135.89 x 6.99	5" $\frac{3}{8}$ x 5" $\frac{7}{8}$ x $\frac{1}{4}$	AS-432,R60
136 x 2.5		
136 x 3		
136 x 3.5		
136 x 3.55		DIN/ISO/NF
136 x 4		
136 x 5		
136 x 5.3		DIN/ISO/NF
136 x 6		
132 x 6		
136.12 x 3.53	5" $\frac{3}{8}$ x 5" $\frac{5}{8}$ x $\frac{1}{8}$	AS-253
136.53 x 5.33		
137 x 2.5		
137 x 3		
137 x 3.5		
137 x 4		
137 x 4.5		
137 x 5		
138 x 2.8		
138 x 3		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
138 x 3.5		
138 x 4		
138 x 5		
138 x 6		
138.94 x 1.78		
139 x 2.5		
139 x 3		
139 x 3.5		
139 x 4		
139 x 5		
139.07 x 5.33	5" ½ x 5" ⅞ x 3/16	AS-357
139.07 x 6.99	5" ½ x 6" x ¼	AS-433,R61
139.2 x 6		
139.29 x 3.53	5" ½ x 5" ¾ x ⅛	AS-254
139.3 x 5.7		
139.37 x 2.62	5" ½ x 5" 11/16 x 3/32	AS-161
139.4 x 3.1		G-140
139.5 x 2		S-140
139.5 x 3		
139.6 x 5.7		P-140
139.7 x 5.33		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
140 x 2		
140 x 2.5		
140 x 3		
140 x 3.5		
140 x 3.55		DIN/ISO/NF
140 x 4		
140 x 4.5		
140 x 5		
140 x 5.3		DIN/ISO/NF
140 x 6		
140.5 x 4.5		
141 x 2.5		
141 x 3		
141 x 3.5		
141 x 4		
141 x 5		
142 x 2.5		
142 x 3		
142 x 3.5		
142 x 4		
142 x 5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
142 x 6		
142.11 x 1.78		
142.24 x 5.33	5" 5/8 x 6" x 3/16	AS-358
142.24 x 6.99	5" 5/8 x 6" 1/8 x 1/4	AS-434,R62
142.47 x 3.53	5" 5/8 x 5" 7/8 x 1/8	AS-255
142.88 x 5.33		
143 x 2.5		
143 x 3		
143 x 4		
143 x 5		
143 x 6		
144 x 2.5		
144 x 3		
144 x 3.5		
144 x 4		
144 x 5		
144.1 x 8.4		
144.3 x 5.7		
144.4 x 3.1		G-145
144.5 x 2		S-145
144.5 x 3		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
144.6 x 5.7		P-145
145 x 2.5		
145 x 3		
145 x 3.55		DIN/ISO/NF
145 x 4		
145 x 5		
145 x 5.3		DIN/ISO/NF
145 x 6		
145.29 x 1.78		
145.42 x 5.33	5" 3/4 x 6" 1/8 x 3/16	AS-359
145.42 x 6.99	5" 3/4 x 6" 1/4 x 1/4	AS-453,R63
145.64 x 3.53	5" 3/4 x 6" x 1/8	AS-256
145.72 x 2.62	5" 3/4 x 5" 15/16 x 3/32	AS-162
146 x 2.5		
146 x 3		
146 x 3.5		
146 x 4		
146 x 5		
146 x 6		
146.05 x 5.33		
147 x 2.5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
147 x 3		
147 x 3.5		
147 x 4		
147 x 5		
148 x 2.5		
148 x 3		
148 x 3.5		
148 x 4		V-150
148 x 5		
148 x 6		
148 x 10		
148.46 x 1.78		
148.59 x 5.33	5" 7/8 x 6" 1/4 x 3/16	AS-360
148.59 x 6.99	5" 7/8 x 6" 3/8 x 1/4	AS-436,R64
148.82 x 3.53	5" 7/8 x 6" 1/8 x 1/8	AS-257
149 x 2.5		
149 x 3		
149 x 3.5		
149 x 4		
149 x 5		
149.1 x 8.4		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
149.2 x 5.7		
149.23 x 5.33		
149.3 x 5.7		G-150
149.5 x 2		S-150
149.5 x 3		
149.5 x 8.4		P-150A
149.6 x 5.7		P-150
150 x 2.5		
150 x 3		
150 x 3.5		
150 x 3.55		DIN/ISO/NF
150 x 4		
150 x 4.5		
150 x 5		
150 x 5.3		DIN/ISO/NF
150 x 6		
150 x 8		
151 x 3		
151 x 3.5		
151 x 4		
151 x 5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
151.64 x 1.78		
151.77 x 5.33	6" x 6" $\frac{3}{8}$ x $\frac{3}{16}$	AS-361
151.77 x 6.99	6" x 6" $\frac{1}{2}$ x $\frac{1}{4}$	AS-437,R65
151.99 x 3.53	6" x 6" $\frac{1}{4}$ x $\frac{1}{8}$	AS-258
152 x 3		
152 x 3.5		
152 x 4		
152 x 5		
152.07 x 2.62	6" x 6" $\frac{3}{16}$ x $\frac{3}{32}$	AS-163
153 x 3		
153 x 3.5		
153 x 4		
153 x 4.5		
153 x 5		
153 x 6		
154 x 3		
154 x 3.5		
154 x 4		
154 x 5		
154 x 6		
154.1 x 8.4		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
154.3 x 5.7		G-155
154.5 x 3		
154.5 x 8.4		P-155
154.81 x 1.78		
155 x 3		
155 x 3.5		
155 x 3.55		DIN/ISO/NF
155 x 4		
155 x 4.5		
155 x 5		
155 x 5.3		DIN/ISO/NF
155 x 5.33		
155 x 6		
155.5 x 6		
155.6 x 6.99		
156 x 3		
156 x 3.5		
156 x 4		
156 x 5		
156 x 6		
157 x 3		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
157 x 3.5		
157 x 4		
157 x 4.5		
157 x 5		
157 x 6		
158 x 1.78		
158 x 3		
158 x 3.5		
158 x 4		
158 x 5		
158 x 6		
158.12 x 5.33	6" 1/4 x 6" 5/8 x 3/16	AS-362
158.12 x 6.99	6" 1/4 x 6" 3/4 x 1/4	AS-438,R66
158.34 x 3.53	6" 1/4 x 6" 1/2 x 1/8	AS-259
158.42 x 2.62	6" 1/4 x 6" 7/16 x 3/32	AS-164
159 x 2		
159 x 3		
159 x 3.5		
159 x 4		
159 x 5		
159 x 6		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
159.1 x 8.4		
159.3 x 5.7		G-160
159.5 x 3		
159.5 x 6.99		
159.5 x 8.4		P-160
160 x 3		
160 x 3.5		
160 x 3.55		DIN/ISO/NF
160 x 4		
160 x 4.5		
160 x 5		
160 x 5.3		
160 x 6		
160 x 8		
160 x 10		
161 x 3		
161 x 3.50		
161 x 4		
161 x 5		
161.16 x 1.78		
161.3 x 5.33		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
161.9 x 6.99		
162 x 3		
162 x 3.5		
162 x 4		
162 x 5		
162 x 6		
163 x 3		
163 x 3.5		
163 x 4		
163 x 5		
164 x 3		
164 x 3.5		
164 x 4		
164 x 5		
164.1 x 8.4		
164.2 x 5.7		
164.3 x 5.7		G-165
164.34 x 1.78		
164.47 x 5.33	6" ½ x 6" ⅞ x 3/16	AS-363
164.47 x 6.99	6" ½ x 7" x ¼	AS-439, R67
164.5 x 3		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
164.5 x 3		
164.5 x 8.4		P-165
164.69 x 3.53	6" ½ x 6" ¾ x ⅛	AS-260
164.77 x 2.62	6" ½ x 6" 11/16 x 3/32	AS-165
165 x 3		
165 x 3.5		
165 x 3.55		DIN/ISO/NF
165 x 4		
165 x 4.5		
165 x 5		
165 x 5.3		DIN/ISO/NF
165 x 6		
166 x 3		
166 x 3.5		
166 x 4		
166 x 5		
166 x 6		
166.7 x 6.99		
167 x 3		
167 x 3.5		
167 x 4		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
167 x 5		
167.51 x 1.78		
167.7 x 5.33		
168 x 3		
168 x 3.5		
168 x 4		
168 x 5		
168.3 x 6.99		
169 x 3		
169 x 3.5		
169 x 4		
169 x 5		
169 x 6		
169.1 x 8.4		
169.3 x 5.7		G-170
169.5 x 3		
169.5 x 8.4		P-170
170 x 2.4		
170 x 3		
170 x 3.5		
170 x 3.55		DIN/ISO/NF

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
170 x 4		
170 x 5		
170 x 5.3		DIN/ISO/NF
170 x 6		
170.69 x 1.78		
170.82 x 5.33	6" 3/4 x 7" 1/8 x 3/16	AS-364
170.80 x 6.99	6" 3/4 x 7" 1/4 x 1/4	AS-440 , R68
171 x 3		
171 x 3.5		
171 x 4		
171 x 5		
171.04 x 3.53	6" 3/4 x 7" x 1/8	AS-261
171.12 x 2.62	6" 3/4 x 6"15/16 x 3/16	AS-166
172 x 3		
172 x 3.5		
172 x 4		
172 x 4.5		
172 x 5		
172 x 6		
173 x 3		
173 x 3.5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
173 x 4		V-175
173 x 5		
173.87 x 1.78		
174 x 3		
174 x 3.5		
174 x 4		
174 x 5		
174 x 5.33		
174 x 6		
174.1 x 8.4		
174.2 x 5.7		
174.3 x 5.7		G-175
174.5 x 3		
174.5 x 8.4		P-175
174.6 x 6.99		
175 x 3		
175 x 3.5		
175 x 3.55		DIN/ISO/NF
175 x 4		
175 x 5		
175 x 5.3		DIN/ISO/NF

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
175 x 6		
176 x 3		
176 x 3.5		
176 x 4		
176 x 5		
176 x 6		
177 x 3		
177 x 3.5		
177 x 4		
177 x 5		
177.17 x 5.33	7" x 7" ³ / ₈ x 3/16	AS-365
177.17 x 6.99	7" x 7" ¹ / ₂ x ¹ / ₄	AS-441,R69
177.39 x 3.53	7" x 7" ¹ / ₄ x ¹ / ₈	AS-262
177.47 x 2.62	7" x 7" 3/16 x 3/32	AS-167
178 x 3		
178 x 3.5		
178 x 4		
178 x 4.5		
178 x 5		
179 x 3		
179 x 3.5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
179 x 4		
179 x 5		
179.1 x 8.4		
179.3 x 5.7		G-180
179.5 x 3		
179.5 x 8.4		P-180
180 x 3		
180 x 3.5		
180 x 3.55		DIN/ISO/NF
180 x 4		
180 x 4.5		
180 x 5		
180 x 5.3		DIN/ISO/NF
180 x 6		
180 x 8		
181 x 3		
181 x 3.5		
181 x 4		
181 x 5		
181 x 6.99		
182 x 3		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
182 x 3.5		
182 x 4		
182 x 5		
182 x 6		
183 x 3		
183 x 3.5		
183 x 4		
183 x 5		
183.5 x 3		
183.52 x 5.33	7" ¼ x 7" 5/16 x 3/16	AS-366
183.52 x 6.99	7" ¼ x 7" ¾ x ¼	AS-442,R70
183.74 x 3.53	7" ¼ x 7" ½ x ⅛	AS-263
183.82 x 2.62	7" ¼ x 7" 7/16 x 3/32	AS-168
184 x 3		
184 x 3.5		
184 x 4		
184 x 5		
184 x 6		
184.1 x 8.4		
184.3 x 5.7		G-185
184.5 x 3		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
184.5 x 3		
184.5 x 8.4		P-185
185 x 3		
185 x 3.5		
185 x 3.55		DIN/ISO/NF
185 x 4		
185 x 4.5		
185 x 5		
185 x 5.3		DIN/ISO/NF
185 x 6		
186 x 3		
186 x 3.5		
186 x 4		
186 x 4.5		
186 x 5		
186 x 7		
187 x 3		
187 x 3.5		
187 x 4		
187 x 5		
187.3 x 6.99		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
188 x 3		
188 x 3.5		
188 x 4		
188 x 5		
188 x 6		
189 x 3		
189 x 3.5		
189 x 4		
189 x 5		
189.1 x 8.4		
189.2 x 5.7		
189.3 x 5.7		G-190
189.5 x 3		
189.5 x 4.5		
189.5 x 8.4		P-190
189.87 x 5.33	7" ½ x 7" ⅞ x 3/16	AS-367
189.87 x 6.99	7" ½ x 8" x ¼	AS-443,R71
190 x 3		
190 x 3.5		
190 x 3.55		DIN/ISO/NF
190 x 4		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
190 x 5		
190 x 5.3		DIN/ISO/NF
190 x 6		
190 x 3.53	7" 1/2 x 7" 3/4 x 1/8	AS-264
190.17 x 2.62	7" 1/2 x 7 11/16 x 3/32	AS-169
191 x 3		
191 x 3.5		
191 x 4		
191 x 5		
191.2 x 6		
192 x 3.5		
192 x 4		
192 x 4.5		
192 x 5		
192 x 7		
193 x 3		
193 x 3.5		
193 x 4		
193 x 5		
193 x 6		
193.3 x 4		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
193.7 x 6.99		
194 x 2		
194 x 3		
194 x 3.5		
194 x 4		
194 x 5		
194.1 x 8.4		
194.3 x 5.7		G-195
194.5 x 3		
194.5 x 8.4		P-195
195 x 3		
195 x 3.5		
195 x 3.55		DIN/ISO/NF
195 x 4		
195 x 5		
195 x 5.3		DIN/ISO/NF
195 x 6		
195 x 10		
196 x 3		
196 x 3.5		
196 x 4		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
196 x 5		
196 x 6		
196.22 x 5.33	7" ¾ x 8" ⅛ x 3/16	AS-368
196.22 x 6.99	7" ¾ x 8" ¼ x ¼	AS-444,R72
196.44 x 3.53	7" ¾ x 8" x ⅛	AS-265
196.52 x 2.62	7" ¾ x 7" 15/16 x 3/32	AS-170
197 x 3		
197 x 3.5		
197 x 4		
197 x 5		
198 x 3		
198 x 3.5		
198 x 4		
198 x 5		
198 x 6		
199 x 3		
199 x 3.5		
199 x 4		
199 x 5		
199.1 x 8.4		
199.2 x 5.7		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
199.3 x 5.7		G-200
199.5 x 3		
199.5 x 8.4		P-200
200 x 3		
200 x 3.5		
200 x 3.55		DIN/ISO/NF
200 x 4		
200 x 5		
200 x 5.3		DIN/ISO/NF
200 x 6		
200 x 6.99		
201 x 3		
201 x 3.5		
201 x 4		
201 x 5		
201 x 6		
202 x 3		
202 x 3.5		
202 x 4		
202 x 5		
202 x 6		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
202.57 x 5.33	8" x 8" $\frac{3}{8}$ x 3/16	AS-369
202.57 x 6.99	8" x 8" $\frac{1}{2}$ x $\frac{1}{4}$	AS-445,R73
202.79 x 3.53	8" x 8" $\frac{1}{4}$ x $\frac{1}{8}$	AS-266
202.87 x 2.62	8" x 8" 3/16 x 3/32	AS-171
203 x 3		
203 x 3.5		
203 x 4		
203 x 5		
203 x 6		
203.5 x 6		
204 x 3		
204 x 3.5		
204 x 4		
204 x 5		
204 x 6		
204.1 x 8.4		
204.5 x 3		
204.5 x 8.4		P-205
205 x 3		
205 x 3.5		
205 x 4		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
205 x 4.7		
205 x 5		
205 x 6		
205 x 10		
206 x 3		
206 x 3.5		
206 x 4		
206 x 5		
206 x 5.3		DIN/ISO/NF
206 x 7		DIN/ISO/NF
207 x 3		
207 x 3.5		
207 x 4		
207 x 5		
208 x 3		
208 x 3.5		
208 x 4		
208 x 4.5		
208 x 5		
208 x 6		
208.5 x 8.4		P-209

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
208.9 x 7		
208.92 x 5.33	8" ¼ x 8" ⅝ x 3/16	AS-370
208.92 x 6.99		
209 x 3		
209 x 3.5		
209 x 4		
209 x 5		
209.1 x 8.4		
209.14 x 3.53	8" ¼ x 8" ½ x ⅛	AS-267
209.22 x 2.62	8" ¼ x 8" 7/16 x 3/32	AS-172
209.3 x 5.7		G-210
209.5 x 3		
209.5 x 8.4		P-210
209.55 x 6.99	8" ¼ x 8" ¾ x ¼	AS-445A
210 x 3		
210 x 3.5		
210 x 4		
210 x 5		
210 x 6		
211 x 3		
211 x 3.5		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
211 x 4		
211 x 5		
212 x 3		
212 x 3.5		
212 x 4		
212 x 5		
212 x 5.3		DIN/ISO/NF
212 x 6		
212 x 7		DIN/ISO/NF
213 x 3		
213 x 3.5		
213 x 4		
213 x 5		
214 x 3		
214 x 3.5		
214 x 4		
214 x 5		
214.5 x 8.4		P-215
215 x 3		
215 x 3.5		
215 x 4		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
215 x 4.5		
215 x 5		
215 x 6		
215.27 x 5.38	8" 1/2 x 8" 7/8 x 3/16	AS-371
215.27 x 6.99	8" 1/2 x 9" x 1/4	AS-446, R74
215.49 x 3.53	8" 1/2 x 8" 3/4 x 1/8	AS-268
215.57 x 2.62	8" 1/2 x 8" 11/16 x 3/32	AS-173
216 x 3		
216 x 3.5		
216 x 4		
216 x 5		
216 x 6		
216 x 8		
217 x 3		
217 x 3.5		
217 x 4		
217 x 5		
217 x 6		
218 x 3		
218 x 3.5		
218 x 4		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
218 x 5		
218 x 5.3		DIN/ISO/NF
218 x 5.8		
218 x 6		
218 x 7		DIN/ISO/NF
218.5 x 4.5		
219 x 3		
219 x 3.5		
219 x 4		
219 x 5		
219.1 x 8.4		
219.3 x 5.7		G-220
219.5 x 3		
219.5 x 8.4		P-220
220 x 3		
220 x 3.5		
220 x 4		
220 x 5		
220 x 6		
220 x 6.99		
221 x 3		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
221 x 3.5		
221 x 4		
221 x 5		
221 x 6		
221.62 x 5.33	8" 3/4 x 9" 1/8 x 3/16	AS-372
221.62 x 6.99		
221.84 x 3.53	8" 3/4 x 9" x 1/8	AS-269
221.92 x 2.62	8" 3/4 x 8" 15/16 x 3/32	AS-174
222 x 3		
222 x 3.5		
222 x 4		
222 x 5		
222.25 x 6.99	8" 3/4 x 9" 1/4 x 1/4	AS-446A
222.5 x 6		V-225
223 x 3		
223 x 3.5		
223 x 4		
223 x 5		
224 x 3		
224 x 3.5		
224 x 4		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
224 x 5		
224 x 5.3		DIN/ISO/NF
224 x 6		
224 x 7		DIN/ISO/NF
224.5 x 8.4		P-225
225 x 3		
225 x 3.5		
225 x 4		
225 x 4.5		
225 x 5		
225 x 6		
226 x 3		
226 x 3.5		
226 x 4		
226 x 5		
226 x 6		
226 x 8		
227 x 3		
227 x 3.5		
227 x 4		
227 x 4.5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
227 x 5		
227.97 x 5.33	8" $\frac{3}{4}$ x 9" $\frac{3}{8}$ x 3/16	AS-373
227.97 x 6.99	9" x 9" $\frac{1}{2}$ x $\frac{1}{4}$	AS-447,R75
228 x 3		
228 x 3.5		
228 x 4		
228 x 5		
228 x 10		
228.19 x 3.53	9" x 9" $\frac{1}{4}$ x $\frac{1}{8}$	AS-270
228.27 x 2.62	9" x 9" 3/16 x 3/32	AS-175
229 x 3		
229 x 3.5		
229 x 4		
229 x 5		
229 x 6		
229.1 x 8.4		
229.3 x 5.7		G-230
229.5 x 3		
229.5 x 8.4		P-230
230 x 3		
230 x 3.5		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
230 x 4		
230 x 5		
230 x 5.3		DIN/ISO/NF
230 x 6		
230 x 7		DIN/ISO/NF
230 x 8		
231 x 3		
231 x 3.5		
231 x 4		
231 x 5		
232 x 3		
232 x 3.5		
232 x 4		
232 x 5		
233 x 3		
233 x 3.5		
233 x 4		
233 x 5		
234 x 3		
234 x 3.5		
234 x 4		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
234 x 5		
234.1 x 8.4		
234.32 x 5.33	9" ¼ x 9" ⅝ x 3/16	AS-374
234.32 x 6.99		
234.5 x 8.4		P-235
234.54 x 3.53	9" ¼ x 9" ½ x ⅛	AS-271
234.62 x 2.62	9" ¼ x 9" ⅞ x 3/32	AS-176
234.90 x 6.99	9" ¼ x 9" ¾ x ¼	AS-447A
235 x 3		
235 x 3.5		
235 x 4		
235 x 5		
235 x 6		
236 x 3		
236 x 3.5		
236 x 4		
236 x 5		
236 x 5.3		DIN/ISO/NF
236 x 6		
236 x 7		DIN/ISO/NF
237 x 3		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
237 x 3.5		
237 x 4		
237 x 5		
237 x 6		
237.5 x 6		
238 x 3		
238 x 3.5		
238 x 4		
238 x 5		
238 x 6		
239 x 3		
239 x 3.5		
239 x 4		
239 x 5		
239.1 x 8.4		
239.3 x 5.7		G-240
239.5 x 3		
239.5 x 8.4		P-240
240 x 3		
240 x 3.5		
240 x 4		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
240 x 5		
240 x 6		
240.67 x 5.33	9" ½ x 9" ⅞ x 3/16	AS-375
240.67 x 6.99	9" ½ x 10" x ¼	AS-448,R76
240.89 x 3.53	9" ½ x 9" ¾ x ⅛	AS-272
240.97 x 2.62	9" ½ x 9" 11/16 x 3/32	AS-177
241 x 3		
241 x 3.5		
241 x 4		
241 x 5		
242 x 3		
242 x 3.5		
242 x 4		
242 x 5		
242 x 6		
242 x 8		
243 x 3		
243 x 3.5		
243 x 4		
243 x 5		
243 x 5.3		DIN/ISO/NF

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
243 x 7		DIN/ISO/NF
244 x 3		
244 x 3.5		
244 x 4		
244 x 5		
244 x 6		
244 x 7		
244.5 x 8.4		P-245
245 x 3		
245 x 3.5		
245 x 4		
245 x 5		
245 x 8		
246 x 3		
246 x 3.5		
246 x 4		
246 x 5		
247 x 3		
247 x 3.5		
247 x 4		
247 x 5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
247 x 6		
247 x 6.99		
247.02 x 5.33	9" ¾ x 10" ⅛ x 3/16	AS-376
247.24 x 3.53	9" ¾ x 10" x ⅛	AS-273
247.32 x 2.6	9" ¾ x 9" 15/16 x 3/32	AS-178
247.65 x 6.99	9" ¾ x 10" ¼ x ¼	AS-448A
248 x 3		
248 x 3.5		
248 x 4		
248 x 5		
249 x 3		
249 x 3.5		
249 x 4		
249 x 5		
249 x 6		
249.1 x 8.4		
249.3 x 5.7		G-250
249.5 x 3		
249.5 x 8.4		P-250
250 x 3		
250 x 3.5		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
250 x 4		
250 x 4.5		
250 x 5		
250 x 6		
250 x 7		DIN/ISO/NF
251 x 3.5		
251 x 4		
251 x 5		
252 x 3.5		
252 x 4		
252 x 5		
253 x 4		
253 x 5		
253.37 x 5.33	10" x 10" ⅜ x 3/16	AS-377
253.37 x 6.99	10" x 10" ½ x 1/4	AS-449,R77
253.59 x 3.53	10" x 10" ¼ x ⅛	AS-274
254 x 3.5		
254 x 4		
254 x 5		
254.5 x 8.4		P-255
255 x 3		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
255 x 3.5		
255 x 4		
255 x 5		
256 x 3.5		
256 x 4		
256 x 5		
257 x 3.5		
257 x 4		
257 x 5		
258 x 3.5		
258 x 4		
258 x 5		
258 x 5.3		DIN/ISO/NF
258 x 6		
258 x 7		DIN/ISO/NF
259 x 3.5		
259 x 4		
259 x 5		
259 x 6		
259.3 x 5.7		G-260
259.5 x 8.4		P-260

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
259.7 x 6.99		
260 x 3.5		
260 x 4		
260 x 5		
260 x 6		
260.35 x 6.99	10" 1/4 x 10" 3/4 x 1/4	AS-449A
261 x 3.5		
261 x 4		
261 x 5		
261.5 x 6.4		
262 x 3.5		
262 x 4		
262 x 5		
262 x 6		
263 x 3.5		
263 x 4		
263 x 5		
264 x 3		
264 x 3.5		
264 x 4		
264 x 5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
264 x 10		
264.5 x 8.4		P-265
265 x 3.5		
265 x 4		
265 x 5		
265 x 5.3		DIN/ISO/NF
265 x 4		
265 x 5		
265 x 5.3		DIN/ISO/NF
265 x 6		
265 x 7		DIN/ISO/NF
266 x 3.5		
266 x 4		
266 x 5		
266 x 6		
266.07 x 5.33	10" ½ x 10" 7⁄8 x 3/16	AS-378
266.07 x 6.99	10" ½ x 11" x ¼	AS-450,R78
266.29 x 3.53	10" ½ x 10" ¾ x 1⁄8	AS-275
267 x 3.5		
267 x 4		
267 x 4.5		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
267 x 5		
268 x 3.5		
268 x 4		
268 x 5		
269 x 3.5		
269 x 4		
269 x 5		
269.3 x 5.7		G-270
269.5 x 8.4		P-270
270 x 3.5		
270 x 4		
270 x 5		
270 x 6		
270 x 10		
271 x 3.5		
271 x 4		
271 x 5		
272 x 3.5		
272 x 4		
272 x 5		
272 x 5.3		DIN/ISO/NF

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
272 x 6		V-275
272 x 7		DIN/ISO/NF
272.4 x 6.99		
273 x 3.5		
273 x 4		
273 x 5		
273.05 x 6.99	10" 3/4 x 11" 1/4 x 1/4	AS-450A
274 x 3.5		
274 x 4		
274 x 5		
274.5 x 8.4		P-275
375 x 3.5		
275 x 4		
275 x 5		
276 x 3.5		
276 x 4		
276 x 5		
277 x 3.5		
277 x 4		
277 x 5		
278 x 3.5		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
278 x 4		
278 x 5		
278 x 6		
278.77 x 5.33	11" x 11" 3/8 x 3/16	AS-379
278.77 x 6.99	11" x 11" 1/2 x 1/4	AS-451, R79
278.99 x 3.53	11" x 11" 1/4 x 1/8	AS-276
279 x 3.5		
279 x 4		
279 x 5		
279.3 x 5.7		G-280
279.5 x 8.4		P-280
280 x 3.5		
280 x 4		
280 x 4.5		
280 x 5		
280 x 5.3		DIN/ISO/NF
280 x 6		
280 x 7		
280 x 8		
280 x 10		
281 x 3.5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
281 x 4		
281 x 5		
282 x 3.5		
282 x 4		
282 x 5		
283 x 3.5		
283 x 4		
283 x 5		
284 x 3.5		
284 x 4		
284 x 5		
284 x 6		
284.5 x 8.4		P-285
285 x 3.5		
285 x 4		
285 x 5		
285 x 6		
285.1 x 6.99		
285.75 x 6.99	11" ¼ x 11" ¾ x 1/4	AS-451A
286 x 3.5		
286 x 4		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
286 x 5		
287 x 3.5		
287 x 4		
287 x 5		
288 x 3.5		
288 x 4		
288 x 5		
288 x 6		
288 x 10		
289 x 3.5		
289 x 4		
289 x 5		
289.2 x 5.7		
289.3 x 5.7		G-290
289.5 x 8.4		P-290
290 x 3.5		
290 x 4		
290 x 5		
290 x 5.3		DIN/ISO/NF
290 x 6		
290 x 7		DIN/ISO/NF

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
291 x 3.5		
291 x 4		
291 x 5		
291.47 x 5.33	11" ½ x 11" ⅞ x 3/16	AS-380
291.47 x 6.99	11" ½ x 12" x ¼	AS-452,R80
291.69 x 3.53	11" ½ x 11" ¾ x ⅛	AS-277
292 x 3.5		
292 x 4		
292 x 5		
293 x 3.5		
293 x 4		
293 x 5		
294 x 3.5		
294 x 4		
294 x 5		
294 x 6		
294.5 x 8.4		P-295
295 x 3.5		
295 x 4		
295 x 5		
295 x 6		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
296 x 3.5		
296 x 4		
296 x 5		
295 x 6		
296 x 3.5		
296 x 4		
296 x 5		
297 x 3.5		
297 x 4		
297 x 5		
297.8 x 6.99		
298 x 3.5		
298 x 4		
298 x 5		
298.45 x 6.99	11" ¾ x 12" ¼ x ¼	AS-452A
299 x 3.5		
299 x 4		
299 x 5		
299.3 x 5.7		G-300
299.5 x 8.4		P-300
300 x 3		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
300 x 3.5		
300 x 4		
300 x 5		
300 x 5.3		DIN/ISO/NF
300 x 6		
300 x 7		DIN/ISO/NF
300 x 10		
301 x 3.5		
301 x 4		
301 x 5		
301 x 6		
302 x 3.5		
302 x 4		
302 x 5		
303 x 3.5		
303 x 4		
303 x 5		
304 x 3.5		
304 x 4		
304 x 5		
304.17 x 5.33	12" x 12" 3/8 x 3/16	AS-381

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
304.17 x 6.99	12" x 12" 1/2 x 1/4	AS-453,R81
304.39 x 3.53	12" x 12" 1/4 x 1/8	AS-278
305 x 3.5		
305 x 4		
305 x 5		
305 x 6		
306 x 3.5		
306 x 4		
306 x 5		
307 x 3.5		
307 x 4		
307 x 5		
307 x 5.3		DIN/ISO/NF
307 x 7		DIN/ISO/NF
308 x 3.5		
308 x 4		
308 x 5		
309 x 3.5		
309 x 4		
309 x 5		
310 x 3.5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
310 x 4		
310 x 5		
310 x 6		
310.5 x 6.99		
311 x 3.5		
311 x 4		
311 x 5		
311 x 6		
312 x 3.5		
312 x 4		
312 x 5		
313 x 3.5		
313 x 4		
313 x 5		
314 x 3.5		
314 x 4		
314 x 5		
314.5 x 8.4		P-315
315 x 3		
315 x 3.5		
315 x 4		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
315 x 4.5		
315 x 5		
315 x 5.3		DIN/ISO/NF
315 x 6		
315 x 7		DIN/ISO/NF
315 x 10		
316 x 3.5		
316 x 4		
316 x 5		
316.87 x 6.99	12" ½ x 13" x ¼	AS-454,R82
317 x 3.5		
317 x 4		
317 x 5		
318 x 3.5		
318 x 4		
318 x 5		
319 x 3.5		
319 x 4		
319 x 5		
319.3 x 5.7		
319.5 x 8.4		P-320

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
320 x 3.5		
320 x 4		
320 x 5		
320 x 6		
321 x 3.5		
321 x 4		
321 x 5		
321.5 x 6		V-325
322 x 3.5		
322 x 4		
322 x 5		
323 x 3.5		
323 x 4		
323 x 5		
323.2 x 6.99		
324 x 3.5		
324 x 4		
324 x 5		
324 x 6		
325 x 3.5		
325 x 4		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
325 x 5		
325 x 5.3		DIN/ISO/NF
325 x 6		
325 x 7		DIN/ISO/NF
325 x 10		
326 x 3.5		
326 x 4		
326 x 5		
326 x 8		
327 x 3.5		
327 x 4		
327 x 5		
328 x 3.5		
328 x 4		
328 x 5		
329 x 3.5		
329 x 4		
329 x 5		
329.3 x 5.7		
323.57 x 5.33	13" x 13" ³ / ₈ x 3/16	AS-382
329.57 x 6.99	13" x 13" ¹ / ₂ x ¹ / ₄	AS-455,R83

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
320 x 3.5		
320 x 4		
320 x 5		
320 x 6		
321 x 3.5		
321 x 4		
321 x 5		
321.5 x 6		V-325
322 x 3.5		
322 x 4		
322 x 5		
323 x 3.5		
323 x 4		
323 x 5		
323.2 x 6.99		
324 x 3.5		
324 x 4		
324 x 5		
324 x 6		
325 x 3.5		
325 x 4		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
325 x 5		
325 x 5.3		DIN/ISO/NF
325 x 6		
325 x 7		DIN/ISO/NF
325 x 10		
326 x 3.5		
326 x 4		
326 x 5		
326 x 8		
327 x 3.5		
327 x 4		
327 x 5		
328 x 3.5		
328 x 4		
328 x 5		
329 x 3.5		
329 x 4		
329 x 5		
329.3 x 5.7		
323.57 x 5.33	13" x 13" $\frac{3}{8}$ x 3/16	AS-382
329.57 x 6.99	13" x 13" $\frac{1}{2}$ x $\frac{1}{4}$	AS-455,R83

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
329.79 x 3.53	13" x 13" ¼ x ⅛	AS-279
330 x 3.5		
330 x 4		
330 x 5		
330 x 6		
330 x 8		
330 x 10		
331 x 3.5		
331 x 4		
331 x 5		
332 x 3.5		
332 x 4		
332 x 5		
333 x 3.5		
333 x 4		
333 x 5		
333 x 6		
334 x 3.5		
334 x 4		
334 x 5		
334.5 x 8.4		P-335

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
335 x 3.5		
335 x 4		
335 x 5		
335 x 5.3		DIN/ISO/NF
335 x 6		
335 x 7		DIN/ISO/NF
335.9 x 6.99		
336 x 3.5		
336 x 4		
336 x 5		
337 x 3.5		
337 x 4		
337 x 5		
338 x 3.5		
338 x 4		
338 x 5		
338 x 6		
339 x 3.5		
339 x 4		
339 x 5		
339.3 x 5.7		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
339.5 x 8.4		P-340
340 x 3.5		
340 x 4		
340 x 5		
340 x 6		
340 x 10		
341 x 3.5		
341 x 4		
341 x 5		
342 x 3.5		
342 x 4		
342 x 5		
342.27 x 6.99	13" ½ x 14" x ¼	AS-456,R84
343 x 3.5		
343 x 4		
343 x 5		
344 x 3.5		
344 x 4		
344 x 5		
345 x 3.5		
345 x 4		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
345 x 5		
345 x 5.3		DIN/ISO/NF
345 x 6		
345 x 7		DIN/ISO/NF
346 x 3.5		
346 x 4		
346 x 5		
347 x 3.5		
347 x 4		
347 x 5		
348 x 3.5		
348 x 4		
348 x 5		
348 x 6		
349 x 3.5		
349 x 4		
349 x 5		
350 x 3.5		
350 x 4		
350 x 5		
350 x 6		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
350 x 12		
351 x 3.5		
351 x 4		
351 x 5		
352 x 3.5		
352 x 4		
352 x 5		
353 x 3.5		
353 x 4		
353 x 5		
354 x 4		
354 x 5		
354 x 8		
354.5 x 8.4		P-355
354.94 x 5.33	14" x 14" $\frac{3}{8}$ x $\frac{3}{16}$	AS-383
354.97 x 6.99	14" x 14" $\frac{1}{2}$ x $\frac{1}{4}$	AS-457,R85
355 x 3.5		
355 x 4		
355 x 5		
355 x 5.3		DIN/ISO/NF
355 x 6		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
355 x 7		DIN/ISO/NF
355.19 x 3.53	14" x 14" $\frac{1}{4}$ x $\frac{1}{8}$	AS-280
356 x 3.5		
356 x 4		
356 x 5		
357 x 3.5		
357 x 4		
357 x 5		
358 x 3.5		
358 x 4		
358 x 5		
358 x 6		
359 x 3.5		
359 x 4		
359 x 5		
359.3 x 5.7		
359.5 x 8.4		P-360
360 x 3.5		
360 x 4		
360 x 5		
360 x 6		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
360 x 10		
361 x 3.5		
361 x 4		
361 x 5		
362 x 3.5		
362 x 4		
362 x 5		
363 x 3.5		
363 x 4		
363 x 5		
364 x 3.5		
364 x 4		
364 x 5		
365 x 3.5		
365 x 4		
365 x 5		
365 x 5.3		DIN/ISO/NF
365 x 6		
365 x 7		DIN/ISO/NF
366 x 3.5		
366 x 4		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
366 x 5		
367 x 3.5		
367 x 4		
367 x 5		
367.67 x 6.99	14" ½ x 15" x ¼	AS-458,R86
368 x 3.5		
368 x 4		
368 x 5		
368 x 6		
369 x 3.5		
369 x 4		
369 x 5		
370 x 2.5		
370 x 3.5		
370 x 4		
370 x 5		
370 x 6		
371 x 3.5		
371 x 4		
371 x 5		
372 x 3.5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
372 x 4		
372 x 5		
373 x 3.5		
373 x 4		
373 x 5		
374 x 3.5		
374 x 4		
374 x 5		
374.5 x 8.4		P-375
375 x 3.5		
375 x 4		
375 x 5		
375 x 5.3		DIN/ISO/NF
375 x 6		
375 x 7		DIN/ISO/NF
376 x 3.5		
376 x 4		
376 x 5		
376 x 6		V-380
376 x 8		
377 x 3.5		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
377 x 4		
377 x 5		
378 x 3.5		
378 x 4		
378 x 5		
379 x 3.5		
379 x 4		
379 x 5		
379.3 x 5.7		
380 x 3.5		
380 x 4		
380 x 5		
380 x 6		
380 x 10		
380.37 x 5.33	15" x 15" $\frac{3}{8}$ x $\frac{3}{16}$	AS-384
380.37 x 6.99	15" x 15" $\frac{1}{2}$ x $\frac{1}{4}$	AS-459,R87
380.59 x 3.53	15" x 15" $\frac{1}{4}$ x $\frac{1}{8}$	AS-281
381 x 3.5		
381 x 4		
381 x 5		
382 x 3.5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
382 x 4		
382 x 5		
383 x 3.5		
383 x 4		
383 x 5		
384 x 3.5		
384 x 4		
384 x 5		
384.5 x 8.4		P-385
385 x 3.5		
385 x 4		
385 x 5		
385 x 6		
386 x 3.5		
386 x 4		
386 x 5		
386 x 6		
387 x 3.5		
387 x 4		
387 x 5		
387 x 5.3		DIN/ISO/NF

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
387 x 7		DIN/ISO/NF
388 x 3.5		
388 x 4		
388 x 5		
388 x 6		
389 x 3.5		
389 x 4		
389 x 5		
389 x 6		
390 x 3.5		
390 x 4		
390 x 5		
390 x 6		
391 x 3.5		
391 x 4		
391 x 5		
392 x 3.5		
392 x 4		
392 x 5		
392 x 6		
392 x 10		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
393 x 3.5		
393 x 4		
393 x 5		
393.07 x 6.99	15" ½ x 16" ¼	AS-460 , R88
394 x 3.5		
394 x 4		
394 x 5		
394 x 6		
395 x 3.5		
395 x 4		
395 x 5		
395 x 6		
396 x 3.5		
396 x 4		
396 x 5		
397 x 3.5		
397 x 4		
397 x 5		
398 x 3.5		
398 x 4		
398 x 5		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
398 x 5		
399 x 3.5		
399 x 4		
399 x 5		
399.3 x 5.7		
399.5 x 8.4		P-400
400 x 3.5		
400 x 4		
400 x 5		
400 x 5.3		DIN/ISO/NF
400 x 6		
400 x 7		DIN/ISO/NF
400 x 8		
401 x 3.5		
401 x 4		
402 x 3.5		
402 x 4		
403 x 3.5		
403 x 4		
404 x 3.5		
404 x 4		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
405 x 3.5		
405 x 4		
405.26 x 3.53	16" x 16" ¼ x ⅛	AS-282
405.26 x 5.33	16" x 16" ⅜ x 3/16	AS-385
405.26 x 6.99	16" x 16" ½ x ¼	AS-461
406 x 3.5		
406 x 4		
407 x 3.5		
407 x 4		
408 x 3.5		
408 x 4		
408 x 12		
409 x 3.5		
409 x 4		
410 x 3.5		
410 x 4		
411 x 3.5		
411 x 4		
412 x 3.5		
412 x 4		
412 x 7		DIN/ISO/NF

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
413 x 3.5		
413 x 4		
414 x 3.5		
414 x 4		
415 x 3.5		
415 x 4		
415 x 5		
415 x 6		
416 x 3.5		
416 x 4		
417 x 3.5		
417 x 4		
417.96 x 6.99	16" ½ x 17" x ¼	AS-462
418 x 3.5		
418 x 4		
419 x 3.5		
419 x 4		
419.3 x 5.7		
420 x 3.5		
420 x 4		
421 x 3.5		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
421 x 4		
422 x 3.5		
422 x 4		
422 x 6		
422.2 x 6.99		
423 x 3.5		
423 x 4		
424 x 3.5		
424 x 4		
425 x 3.5		
425 x 4		
425 x 7		DIN/ISO/NF
425 x 8		
425.5 x 6		V-340
426 x 3.5		
426 x 4		
427 x 3.5		
427 x 4		
428 x 3.5		
428 x 4		
429 x 3.5		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
429 x 4		
429 x 6		
430 x 3.5		
430 x 4		
430.66 x 3.53	17" x 17" ¼ x ⅛	AS-283
430.66 x 5.33	17" x 17" ⅜ x 3/16	AS-386
430.66 x 6.99	17" x 17" ½ x ¼	AS-463
431 x 3.5		
431 x 4		
432 x 3.5		
432 x 4		
432 x 12		
432 x 13		
433 x 3.5		
433 x 4		
434 x 3.5		
434 x 4		
435 x 3.5		
435 x 4		
436 x 3.5		
436 x 4		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
437 x 3.5		
437 x 4		
437 x 7		DIN/ISO/NF
438 x 3.5		
438 x 4		
439 x 3.5		
439 x 4		
439.3 x 5.7		
440 x 3.5		
440 x 4		
441 x 4		
442 x 4		
442 x 12		
443 x 4		
443.36 x 6.99	17" ½ x 18" x ¼	AS-464
444 x 4		
445 x 4		
446 x 4		
446 x 6		
447 x 4		
448 x 4		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
448 x 6		
449 x 4		
450 x 4		
450 x 6		
450 x 7		DIN/ISO/NF
450 x 8		
450 x 10		
451 x 4		
452 x 4		
453 x 4		
453 x 6		
454 x 4		
455 x 4		
456 x 4		
456.06 x 3.53	18" x 18" ¼ x ⅛	AS-284
456.06 x 5.33	18" x 18" ⅜ x 3/16	AS-387
456.06 x 6.99	18" x 18" ½ x ¼	AS-456
457 x 4		
457.2 x 7		
458 x 4		
459 x 4		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
459.3 x 5.7		
460 x 4		
460 x 5		
461 x 4		
462 x 4		
462 x 7		DIN/ISO/NF
463 x 4		
464 x 4		
465 x 4		
466 x 4		
467 x 4		
468 x 4		
468.76 x 6.99	18" ½ x 19" x ¼	AS-466
469 x 4		
470 x 4		
471 x 4		
472 x 4		
473 x 4		
474 x 4		
475 x 4		
475 x 7		DIN/ISO/NF

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
475 x 10		V-480
476 x 4		
477 x 4		
478 x 4		
478 x 6		
479 x 4		
479.3 x 5.7		
480 x 4		
480 x 6		
481 x 4		
481.41 x 5.33	19" x 19" ⅜ x 3/16	AS-388
481.46 x 6.99	19" x 19" ½ x ¼	AS-469
482 x 4		
483 x 4		
483 x 6		
484 x 4		
485 x 4		
486 x 4		
486 x 6		
487 x 4		
487 x 7		DIN/ISO/NF

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
488 x 4		
489 x 4		
489 x 6		
490 x 4		
490 x 8		
490 x 14		
491 x 4		
492 x 4		
493 x 4		
494 x 4		
494.16 x 6.99	19" ½ x 20" x ¼	AS-468
494.67 x 7		
495 x 4		
496 x 4		
497 x 4		
498 x 4		
499 x 4		
499.3 x 5.7		
500 x 4		
500 x 6		
500 x 7		DIN/ISO/NF

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
500 x 8		
504 x 6		
505 x 6		
506.81 x 5.33	20" x 20" ¾ x 3/16	AS-389
506.86 x 6.99	20" x 20" ½ x ¼	AS-469
508 x 6		
510 x 6		
515 x 7		DIN/ISO/NF
516 x 6		
524.5 x 10		V-530
530 x 6		
530 x 7		DIN/ISO/NF
532.21 x 5.33	21" x 21" ¾ x 3/16	AS-390
532.26 x 6.99	21" x 21" ½ x ¼	AS-470
540 x 6		
540 x 12		
544 x 6		
545 x 7		DIN/ISO/NF
545.47 x 7		
548 x 16		
549 x 6		

O-RING SIZE CHART



DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
552 x 6		
555 x 6		
557.61 x 5.33	22" x 22" $\frac{3}{8}$ x 3/16	AS-391
557.66 x 6.99	22" x 22" $\frac{1}{2}$ x $\frac{1}{4}$	AS-471
560 x 6		
560 x 7		DIN/ISO/NF
569 x 6		
571 x 5		
575 x 6		
579 x 6		
579 x 10		V-585
580 x 7		DIN/ISO/NF
582.68 x 5.33	23" x 23" $\frac{3}{8}$ x 3/16	AS-392
582.68 x 6.99	23" x 23" $\frac{1}{2}$ x $\frac{1}{4}$	AS-472
596.27 x 7		
600 x 7		DIN/ISO/NF
600 x 16		
608.08 x 5.33	24" x 24" $\frac{3}{8}$ x 3/16	AS-393
608.08 x 6.99	24" x 24" $\frac{1}{2}$ x 1/4	AS-473
615 x 7		DIN/ISO/NF
623.3 x 5.7		

DIMENSION ID. X CS METRIC	NOMINAL DIMENSION U.S.STANDARD	REF NO
630 x 7		DIN/ISO/NF
633.48 x 5.33	25" x 25" $\frac{3}{8}$ x 3/16	AS-394
633.48 x 6.99	25" x 25" $\frac{1}{2}$ x $\frac{1}{4}$	AS-474
633.5 x 10		V-640
647.07 x 7		
650 x 7		DIN/ISO/NF
654 x 18		
658.88 x 5.33	26" x 26" $\frac{3}{8}$ x 3/16	AS-395
658.88 x 6.99	26" x 26" $\frac{1}{2}$ x $\frac{1}{4}$	AS-475
670 x 7		DIN/ISO/NF
683 x 10		
718 x 18		
732.5 x 10		V-740
760 x 7		
782 x 10		V-790
800 x 7		
836.50 x 10		V-845
870 x 7		
878 x 20		
880 x 7		
900 x 7		

O-RING SIZE CHART

[illegible][illegible]