

PACKINGS FOR BOTH PISTON AND ROD SEALS
NITRILE RUBBER (NBR)
FLUORORUBBER (FKM)




(Example) • Type Dimensions USH 14 22 5

—Type Sign

Nominal Size of Packing
described in order of inner diameter(d), outer diameter(D), and height(h)


- Part Number CU2692K0

Material	Standard : NOK A505 Heat resistant type : NOK F357
-----------------	---



Nominal Size of Packing			Housing dimensions						Standard (A505)		Heat resistant (F357)	
d	D	h	φd	φD	φD ₁	H _A	H _B	C	NOK Part Number	Nominal number	NOK Part Number	Nominal number
14	22	5	14	22	21	5.7	7.7	2	● CU2692K0	USH-14		
16	24	5	16	24	23	5.7	7.7		● CU2548K0	USH-16	● CU2548K2	USH-16F
18	26	5	18	26	25	5.7	7.7		CU0180K0	USH-18	CU0180K6	USH-18F
20	28	5	20	28	27	5.7	7.7		CU0212K0	USH-20	CU0212K4	USH-20F
22	30	5	22	30	29	5.7	7.7		CU3017K0	USH-22		
22.4	30	5	22.4	30	29	5.7	7.7		CU0260K0	USH-22.4	CU0260K3	USH-22.4F
23.5	31.5	5	23.5	31.5	30.5	5.7	7.7		CU0267K0	USH-23.5		
24	32	5	24	32	31	5.7	7.7		CU2971K0	USH-24		
25	33	5	25	33	32	5.7	7.7		CU0276K0	USH-25	CU0276K3	USH-25F
27	35	5	27	35	34	5.7	8.7		CU3187K0	USH-27		
28	35.5	5	28	35.5	34.5	5.7	8.7	CU0320K0	USH-28	CU0320K2	USH-28F	
	36	5	28	36	35	5.7	8.7	CU2536K0	USH-28A			
30	40	6	30	40	39	7	10	CU0357K0	USH-30	CU0357K6	USH-30F	
31.5	41.5	6	31.5	41.5	40.5	7	10	CU0382K0	USH-31.5	CU0382K1	USH-31.5F	
32	42	6	32	42	41	7	10	CU2819K0	USH-32			
35	45	6	35	45	44	7	10	CU0424K0	USH-35	CU0424K3	USH-35F	
35.5	45	6	35.5	45	44	7	10	CU0451K0	USH-35.5	CU0451K1	USH-35.5F	
	45.5	6	35.5	45.5	44.5	7	10	CU3253K0	USH-35.5A			
36	46	6	36	46	45	7	10	CU3040K1	USH-36			
40	50	6	40	50	49	7	10	CU0497K0	USH-40	CU0497K3	USH-40F	
45	55	6	45	55	54	7	10	CU0567K0	USH-45	CU0567K4	USH-45F	
	56	7	45	56	55	8	11	CU0572K0	USH-45A	CU0572K1	USH-45AF	
50	60	6	50	60	59	7	10	CU0619K0	USH-50	CU0619K4	USH-50F	
53	63	6	53	63	62	7	10	CU0679K0	USH-53	CU0679K4	USH-53F	
55	65	6	55	65	64	7	10	CU0694K0	USH-55			
56	66	6	56	66	65	7	10	CU0722K0	USH-56	CU0722K2	USH-56F	
58	68	6	58	68	67	7	10	CU3255K0	USH-58			
60	70	6	60	70	69	7	10	CU0746K0	USH-60	CU0746K3	USH-60F	
	71	7	60	71	70	8	11	CU0750K0	USH-60A			
63	73	6	63	73	72	7	10	CU0786K0	USH-63	CU0786K2	USH-63F	
65	75	6	65	75	74	7	10	CU0809K0	USH-65	CU0809K2	UPH-65F	
67	77	6	67	77	76	7	10	CU0828K0	USH-67			
70	80	6	70	80	79	7	10	CU0849K0	USH-70	CU0849K4	USH-70F	
71	80	6	71	80	79	7	10	CU0879K0	USH-71	CU0879K1	USH-71F	
75	85	6	75	85	84	7	10	CU0901K0	USH-75			

Remark) When using packings with mark ● as rod packing, provide separate grooves.



Nominal Size of Packing			Housing dimensions						Standard (A505)		Heat resistant (F357)	
d	D	h	φd	φD	φD ₁	H _A	H _B	C	NOK Part Number	Nominal number	NOK Part Number	Nominal number
80	90	6	80	90	89	7	10	2.5	CU0939K0	USH-80	CU0939K3	USH-80F
85	95	6	85	95	94	7	10		CU1959K0	USH-85A		
	100	9	85	100	98	10	13	CU0984K0	USH-85	CU0984K4	USH-85F	
90	105	9	90	105	103	10	13	CU1024K0	USH-90	CU1024K4	USH-90F	
95	110	9	95	110	108	10	13	CU1051K0	USH-95	CU1051K3	USH-95F	
98	112	8.5	98	112	110	9.5	12.5	CU1067K0	USH-98	CU1067K2	USH-98F	
100	115	9	100	115	113	10	13	CU1082K0	USH-100	CU1082K3	USH-100F	
106	120	8.5	106	120	118	9.5	12.5	CU1135K0	USH-106			
112	125	8.5	112	125	123	9.5	12.5	CU1178K0	USH-112	CU1178K1	USH-112F	
	125	9	112	125	123	10	13	CU1179K0	USH-112A			
118	132	8.5	118	132	130	9.5	12.5	CU1204K0	USH-118			
125	140	9	125	140	138	10	13	4	CU1252K0	USH-125	CU1252K2	USH-125F
130	145	9	130	145	143	10	13		CU1280K0	USH-130		
132	145	8.5	132	145	143	9.5	12.5		CU1291K0	USH-132		
136	150	8.5	136	150	148	9.5	12.5		CU1306K0	USH-136	CU1306K3	USH-136F
140	155	9	140	155	153	10	13		CU1323K0	USH-140	CU1323K1	USH-140F
145	160	9	145	160	158	10	13		CU1343K0	USH-145	CU1343K2	USH-145F
150	165	9	150	165	163	10	13		CU1359K0	USH-150	CU1359K1	UPH-150F
155	170	9	155	170	168	10	14		CU3261K0	USH-155		
160	175	9	160	175	173	10	14		CU1406K0	USH-160		
165	180	9	165	180	178	10	14		CU1429K0	USH-165	CU1429K2	USH-165F
175	190	9	175	190	188	10	14		CU3038K0	USH-175		
180	200	12	180	200	198	13	17	5	CU1483K0	USH-180	CU1483K2	UPH-180F
190	210	12	190	210	208	13	17		CU2516K0	USH-190		
200	220	12	200	220	218	13	17		CU1543K0	USH-200	CU1543K1	USH-200F
204	224	12	204	224	222	13	17		CU1563K0	USH-204		
224	244	12	224	244	242	13	17		CU1609K0	USH-224		
230	250	12	230	250	248	13	17		CU1637K0	USH-230		
240	260	12	240	260	258	13	17		CU1657K0	USH-240		
250	270	12	250	270	268	13	17		CU1678K0	USH-250		
260	280	14	260	280	278	15	19		CU1702K0	USH-260	CU1702K1	UPH-260F
280	300	14	280	300	298	15	19		CU1962K0	USH-280		
295	315	14	295	315	313	15	19		CU1756K0	USH-295		